

アトピー疾患研究センター 研究業績 (2016年)

1. Heissig B, Eiamboonsert S, Sakana Y, Shimazu H, Dhahri D, Munakata S, Tashiro H, Hattori K.
Cancer therapy targeting the fibrinolytic system.
Adv Drug Deliv Rev. 2016;99(Pt B):172-179.
2. Suzuki M, Hara M, Ichikawa S, Kamijo S, Nakazawa T, Hatanaka H, Akiyama K, Ogawa H, Okumura K, Takai T.
Presensitization to Ascaris antigens promotes induction of mite-specific IgE upon mite antigen inhalation in mice.
Allergol Int. 2016;65:44-51.
3. Shoda T, Futamura K, Orihara K, Emi-Sugie M, Saito H, Matsumoto K, Matsuda A.
Recent advances in understanding the roles of vascular endothelial cells in allergic inflammation.
Allergol Int. 2016;65:21-29.
4. Horimukai K, Morita K, Narita M, Kondo M, Kabashima S, Inoue E, Sasaki T, Niizeki H, Saito H, Matsumoto K, Ohya Y.
Transepidermal water loss measurement during infancy can predict the subsequent development of atopic dermatitis regardless of filaggrin mutations.
Allergol Int. 2016;65:103-108.
5. Yoshida K, Sasaki M, Adachi Y, Itazawa T, Odajima H, Saito H, Akasawa A.
Factors associated with the severity of childhood rhinoconjunctivitis.
Allergol Int. 2016;65:166-171.
6. Yamamoto-Hanada K, Futamura M, Yang L, Shoda T, Narita M, Kobayashi F, Saito H, Ohya Y.
Preconceptional exposure to oral contraceptive pills and the risk of wheeze, asthma and rhinitis in children.
Allergol Int. 2016;65:327-331.
7. Miwa M, Hasan S, Miwa M, Okubo K.

Filaggrin exists in human nose.

Allergol Int. 2016;65:338-340.

8. Sasaki M, Yoshida K, Adachi Y, Furukawa M, Itazawa T, Odajima H, Saito H, Hide M, Akasawa A.

Environmental factors associated with childhood eczema: Findings from a national web-based survey.

Allergol Int. 2016;65:420-424.

9. Hiraishi Y, Nambu A, Shibui A, Nakanishi W, Yamaguchi S, Morita H, Iikura M, McKenzie AN, Matsumoto K, Sudo K, Yamasoba T, Nagase T, Nakae S.

TIM-3 is not essential for development of airway inflammation induced by house dust mite antigens.

Allergol Int. 2016;65:459-465.

10. Nakanishi W, Hiraishi Y, Yamaguchi S, Takamori A, Morita H, Matsumoto K, Saito H, Sudo K, Yamasoba T and Nakae S.

TSLP receptor is not essential for house dust mite-induced allergic rhinitis in mice.

Biochem Biophys Rep. 2016;7:119-123.

11. Shibui A, Takamori A, Tolba EMT, Nambu A, Shimura E, Yamaguchi S, Sanjoba C, Suto H, Sudo K, Okumura K, Sugano S, Morita H, Saito H, Matsumoto K & Nakae S.

IL-25, IL-33 and TSLP receptor are not critical for development of experimental murine malaria.

Biochem Biophys Rep. 2016;5:191-195.

12. Waseda M, Arimura S, Shimura E, Nakae S, Yamanashi Y.

Loss of Dok-1 and Dok-2 in mice causes severe experimental colitis accompanied by reduced expression of IL-17A and IL-22.

Biochem Biophys Res Commun. 2016;478:135-142.

13. Dhahri D, Sato-Kusubata K, Ohki-Koizumi M, Nishida C, Tashiro Y, Munakata S, Shimazu H, Salama Y, Eiamboonsert S, Nakauchi H, Hattori K and Heissig B.

Fibrinolytic crosstalk with endothelial cells expands murine mesenchymal stromal cells.

Blood. 2016;128:1063-1075.

14. Akimoto M, Hayashi JI, Nakae S, Saito H, Takenaga K.
Interleukin-33 enhances programmed oncosis of ST2L-positive low-metastatic cells in the tumour microenvironment of lung cancer.
Cell Death Dis. 2016;7:e2057.
15. Sato K, Oiwa R, Kumita W, Henry R, Sakuma T, Ito R, Nozu R, Inoue T, Katano I, Sato K, Okahara N, Okahara J, Shimizu Y, Yamamoto M, Hanazawa K, Kawakami T, Kametani Y, Suzuki R, Takahashi T, Weinstein EJ, Yamamoto T, Sakakibara Y, Habu S, Hata J, Okano H, Sasaki E.
Generation of a Nonhuman Primate Model of Severe Combined Immunodeficiency Using Highly Efficient Genome Editing.
Cell Stem Cell. 2016;19:127-138.
16. Niyonsaba F, Kiatsurayanon C, Ogawa H.
The role of human β -defensins in allergic diseases.
[Review].
Clin Exp Allergy. 2016;46:1522-1530.
17. Matsukawa T, Izawa K, Isobe M, Takahashi M, Maehara A, Yamanishi Y, Kaitani A, Okumura K, Teshima T, Kitamura T, Kitaura J.
Ceramide-CD300f binding suppresses experimental colitis by inhibiting ATP-mediated mast cell activation.
Gut. 2016;65:777-787.
18. Todo S, Yamashita K, Goto R, Zaito M, Nagatsu A, Oura T, Watanabe M, Aoyagi T, Suzuki T, Shimamura T, Kamiyama T, Sato N, Sugita J, Hatanaka K, Bashuda H, Habu S, Demetris AJ, Okumura K.
A pilot study of operational tolerance with a regulatory T-cell-based cell therapy in living donor liver transplantation.
Hepatology. 2016;64:632-643.
19. Umemura M, Okamoto-Yoshida Y, Yahagi A, Touyama S, Nakae S, Iwakura Y, Matsuzaki G.
Involvement of IL-17A-producing TCR $\gamma\delta$ T cells in late protective immunity against pulmonary Mycobacterium tuberculosis infection.

Immun Inflamm Dis. 2016;4:401-412.

20. Okuno H, Satoh M, Takeuchi E, Eshima K, Terashima M, Komotori J, Habu S, Tamauchi H, Iwabuchi K.
Inhibitory function of NKT cells during early induction phase of nickel allergy.
Immunobiology. 2016;221:833-838.
21. Yamanaka T, Tamauchi H, Suzuki Y, Suzuki H, Horikoshi S, Terashima M, Iwabuchi K, Habu S, Okumura K, Tomino Y.
Release from Th1-type immune tolerance in spleen and enhanced production of IL-5 in Peyer's patch by cholera toxin B induce the glomerular deposition of IgA.
Immunobiology. 2016;221:577-585.
22. Kudo F, Ikutani M, Seki Y, Otsubo T, Kawamura YI, Dohi T, Oshima K, Hattori M, Nakae S, Takatsu K, Takaki S.
Interferon- γ constrains cytokine production of group 2 innate lymphoid cells.
Immunology. 2016;147:21-29.
23. Kanazawa K, Okumura K, Ogawa H, Niyonsaba F.
An antimicrobial peptide with angiogenic properties, AG-30/5C, activates human mast cells through the MAPK and NF- κ B pathways.
Immunol Res. 2016;64:594-603.
24. Igarashi S, Suzuki K, Nakamura Y, Ishimaru K, Fukano C, Masuyama K, Ohashi-Doi K, Nakao A.
The efficacy of sublingual immunotherapy for allergic rhinitis may vary with the time of day.
Int Arch Allergy Immunol. 2016;171:111-118.
25. Yao T, Tanaka K, Fujimura T, Murayama K, Fukuda S, Okumura K, Seko Y. **Plasma levels of oxidative stress-responsive apoptosis inducing protein (ORAIP) in patients with atrial fibrillation.**
Int J Cardiol. 2016;222:528-530.
26. Nakamura Y, Nakano N, Ishimaru K, Ando N, Katoh R, Suzuki-Inoue K, Koyanagki S, Ogawa

H, Okumura K, Shibata S, Nakao A.

Inhibition of IgE-mediated allergic reaction by pharmacologically targeting the circadian clock.

J Allergy Clin Immunol. 2016;137:1226-1235.

27. Orihara K, Saito H.

Controlling the peripheral clock might be a new treatment strategy in allergy and immunology.

J Allergy Clin Immunol. 2016;137:1236-1237.

28. Shoda T, Matsuda A, Arai K, Shimizu H, Morita H, Orihara K, Okada N, Narita M, Ohya Y, Saito H, Matsumoto K, Nomura I.

Sera of patients with infantile eosinophilic gastroenteritis showed a specific increase in both thymic stromal lymphopoietin and IL-33 levels.

J Allergy Clin Immunol. 2016;138:299-303.

29. Takeda T, Unno H, Morita H, Futamura K, Emi-Sugie M, Arae K, Shoda T, Okada N, Igarashi A, Inoue E, Kitazawa H, Nakae S, Saito H, Matsumoto K, Matsuda A.

Platelets constitutively express IL-33 protein and modulate eosinophilic airway inflammation.

J Allergy Clin Immunol. 2016;138:1395-1403.e6.

30. Kamijo S, Nunomura S, Ra C, Kanaguchi Y, Suzuki Y, Ogawa H, Okumura K, Takai T.

Innate basophil IL-4 responses against allergens, endotoxin, and cytokines require the Fc receptor γ -chain.

J Allergy Clin Immunol. 2016;137:1613-1615.e2.

31. Kitamura T, Watanabe-Okochi N, Enomoto Y, Nakahara F, Oki T, Komeno Y, Kato N, Doki N, Uchida T, Kagiya Y, Togami K, Kawabata KC, Nishimura K, Hayashi Y, Nagase R, Saika M, Fukushima T, Asada S, Fujino T, Izawa Y, Horikawa S, Fukuyama T, Tanaka Y, Ono R, Goyama S, Nosaka T, Kitaura J, Inoue D.

Novel working hypothesis for pathogenesis of hematological malignancies: Combination of mutations-induced cellular phenotypes determines the disease (cMIP-DD).

[Review].

J Biochem. 2016;159: 17-25.

32. Makino S, Sato A, Goto A, Nakamura M, Ogawa M, Chiba Y, Hemmi J, Kano H, Takeda K, Okumura K, Asami Y.
Enhanced natural killer cell activation by exopolysaccharides derived from yogurt fermented with *Lactobacillus delbrueckii* ssp. *Bulgaricus* OLL1073R-1.
J Dairy Sci. 2016;99:915-923.
33. Shoda T, Futamura M, Yang L, Yamamoto-Hanada K, Narita M, Saito H, Ohya Y.
Timing of eczema onset and risk of food allergy at 3 years of age: A hospital-based prospective birth cohort study.
J Dermatol Sci. 2016;84:144-148.
34. Kiatsurayanon C, Niyonsaba F, Chieosilapatham P, Okumura K, Ikeda S, Ogawa H. **Angiogenic peptide (AG)-30/5C activates human keratinocytes to produce cytokines/chemokines and to migrate and proliferate via MrgX receptors.**
J Dermatol Sci. 2016;83:190-199.
35. Kamijo S, Suzuki M, Hara M, Shimura S, Ochi H, Maruyama N, Matsuda A, Saito H, Nakae S, Suto H, Ichikawa S, Ikeda S, Ogawa H, Okumura K, Takai T.
Subcutaneous Allergic Sensitization to Protease Allergen Is Dependent on Mast Cells but Not IL-33: Distinct Mechanisms between Subcutaneous and Intranasal Routes.
J Immunol. 2016;196:3559-3569.
36. Aoki R, Kawamura T, Goshima F, Ogawa Y, Nakae S, Moriishi K, Nakao A, Shimada S.
The alarmin IL-33 derived from HSV-2-infected keratinocytes triggers mast cell-mediated antiviral innate immunity.
J Invest Dermatol. 2016;136:1290-1292.
37. Shimura S, Takai T, Iida H, Maruyama N, Ochi H, Kamijo S, Nishioka I, Hara M, Matsuda A, Saito H, Nakae S, Ogawa H, Okumura K, Ikeda S.
Epicutaneous Allergic Sensitization by Cooperation between Allergen Protease Activity and Mechanical Skin Barrier Damage in Mice.
J Invest Dermatol. 2016;136:1408-1417.
38. Hanihara M, Kawataki T, Oh-oka K, Mitsuka K, Nakao A, Kinouchi H.

Synergistic anti-tumor effect with indoleamine 2,3-dioxygenase inhibition and temozolomide in a murine glioma model.

J Neurosurg. 2016;124:1594-1601.

39. Yang Y, Andersson P, Hosaka K, Zhang Y, Cao R, Iwamoto H, Yang X, Nakamura M, Wang J, Zhuang R, Morikawa H, Xue Y, Braun H, Beyaert R, Samani N, Nakae S, Hams E, Dissing S, Fallon PG, Langer R, Cao Y.

The PDGF-BB-SOX7 axis-modulated IL-33 in pericytes and stromal cells promotes metastasis through tumour-associated macrophages.

Nat Commun. 2016;7:11385.

40. Miura R, Kasakura K, Nakano N, Hara M, Maeda K, Okumura K, Ogawa H, Yashiro T, Nishiyama C. Miura R, Kasakura K, Nakano N, Hara M, Maeda K, Okumura K, Ogawa H, Yashiro T, Nishiyama C.

Role of PU.1 in MHC Class II Expression via CIITA Transcription in Plasmacytoid Dendritic Cells.

PLoS One. 2016;11:e0154094.

41. Siede J, Fröhlich A, Datsi A, Hegazy AN, Varga DV, Holecska V, Saito H, Nakae S, Löhning M. **IL-33 Receptor-Expressing Regulatory T Cells Are Highly Activated, Th2 Biased and Suppress CD4 T Cell Proliferation through IL-10 and TGF- β Release.**

PLoS One. 2016;11:e0161507.

42. Matsuoka S, Ishii Y, Nakao A, Abe M, Ohtsuji N, Momose S, Jin H, Arase H, Sugimoto K, Nakauchi Y, Masutani H, Maeda M, Yagita H, Komatsu N, Hino O.

Establishment of a therapeutic anti-pan HLA-class II monoclonal antibody that directly induces lymphoma cell death via large pore formation.

PLoS One. 2016;11:e0150496.

43. Furusawa JI, Mizoguchi I, Chiba Y, Hisada M, Kobayashi F, Yoshida H, Nakae S, Tsuchida A, Matsumoto T, Ema H, Mizuguchi J, Yoshimoto T.

Interleukin-27 into Myeloid Progenitors to Control Infection in Emergency Myelopoiesis.

PLoS Pathog. 2016;12:e1005507.

44. Oh JE, Kim BC, Chang DH, Kwon M, Lee SY, Kang D, Kim JY, Hwang I, Yu JW, Nakae S,

Lee HK

Dysbiosis-induced IL-33 contributes to impaired antiviral immunity in the genital mucosa.

Proc Natl Acad Sci USA. 2016;113:E762-771.

45. Shiozawa A, Miwa M, Ono N, Sasaki D, Hirotsu M, Nakamura M, Ikeda K, Okubo K, Okumura K.

Alteration of the values of nasal epithelial barrier function after one time application of topical corticosteroids around cedar pollen antigen provocation.

Proc of Airway Sec Res. 2016;XVII:1-6.

46. Yashiro T, Hara M, Ogawa H, Okumura K, Nishiyama C.

Critical Role of Transcription Factor PU.1 in the Function of the OX40L/TNFSF4 Promoter in Dendritic Cells.

Sci Rep. 2016;6:34825.

47. Morita H, Saito H, Matsumoto K, Nakae S.

Regulatory roles of mast cells in immune responses.

Semin Immunopathol. 2016;38:623-629.