

ゲノム・再生医療センター 研究業績 (2016年)

【ゲノム・再生医療センター：赤松和土】

1. Okuno H, Nakabayashi K, Abe K, Ando T, Sanosaka T, Kohyama J, **Akamatsu W**, Ohyama M, Takahashi T, Kosaki K, Okano H.
Changeability of the fully methylated status of the 15q11.2 region in induced pluripotent stem cells derived from a patient with Prader-Willi syndrome.
Congenit Anom (Kyoto). 2016 Dec 21. doi: 10.1111/cga.12206. [Epub ahead of print]
2. Ouchi T, Morikawa S, Shibata S, Fukuda K, Okuno H, Fujimura T, Kuroda T, Ohyama M, **Akamatsu W**, Nakagawa T, Okano H.
LNGFR+THY-1+ human pluripotent stem cell-derived neural crest-like cells have the potential to develop into mesenchymal stem cells.
Differentiation. 2016 Dec;92(5):270-280.
3. Hoashi Y, Okamoto S, Abe Y, Matsumoto T, Tanaka J, Yoshida Y, Imaizumi K, Mishima K, **Akamatsu W**, Okano H, Baba K.
Generation of neural cells using iPSCs from sleep bruxism patients with 5-HT2A polymorphism.
J Prosthodont Res. 2016 Dec 1. pii: S1883-1958(16)30106-2.
4. Toyoshima M, **Akamatsu W**, Okada Y, Ohnishi T, Balan S, Hisano Y, Iwayama Y, Toyota T, Matsumoto T, Itasaka N, Sugiyama S, Tanaka M, Yano M, Dean B, Okano H, Yoshikawa T.
Analysis of induced pluripotent stem cells carrying 22q11.2 deletion.
Transl Psychiatry. 2016 Nov 1;6(11):e934.
5. Fujimori K, Tezuka T, Ishiura H, Mitsui J, Doi K, Yoshimura J, Tada H, Matsumoto T, Isoda M, Hashimoto R, Hattori N, Takahashi T, Morishita S, Tsuji S, **Akamatsu W**, Okano H.
Modeling neurological diseases with induced pluripotent cells reprogrammed from immortalized lymphoblastoid cell lines.
Mol Brain. 2016 Oct 3;9(1):88.
6. Bamba Y, Shofuda T, Kato M, Pooh RK, Tateishi Y, Takanashi J, Utsunomiya H, Sumida M,

Kanematsu D, Suemizu H, Higuchi Y, Akamatsu W, Gallagher D, Miller FD, Yamasaki M, Kanemura Y, Okano H.

In vitro characterization of neurite extension using induced pluripotent stem cells derived from lissencephaly patients with TUBA1A missense mutations.

Mol Brain. 2016 Jul 19;9(1):70.

7. Ichiyanagi N, Fujimori K, Yano M, Ishihara-Fujisaki C, Sone T, Akiyama T, Okada Y, Akamatsu W, Matsumoto T, Ishikawa M, Nishimoto Y, Ishihara Y, Sakuma T, Yamamoto T, Tsuji H, Suzuki N, Warita H, Aoki M, Okano H.

Establishment of In Vitro FUS-Associated Familial Amyotrophic Lateral Sclerosis Model Using Human Induced Pluripotent Stem Cells.

Stem Cell Reports. 2016 Apr 12;6(4):496-510.

8. Matsumoto T, Fujimori K, Andoh-Noda T, Ando T, Kuzumaki N, Toyoshima M, Tada H, Imaizumi K, Ishikawa M, Yamaguchi R, Isoda M, Zhou Z, Sato S, Kobayashi T, Ohtaka M, Nishimura K, Kurosawa H, Yoshikawa T, Takahashi T, Nakanishi M, Ohyama M, Hattori N, Akamatsu W, Okano H.

Functional Neurons Generated from T Cell-Derived Induced Pluripotent Stem Cells for Neurological Disease Modeling.

Stem Cell Reports. 2016 Mar 8;6(3):422-35.

9. Andoh-Noda T, Inouye MO, Miyake K, Kubota T, Okano H, Akamatsu W.
Modeling Rett Syndrome Using Human Induced Pluripotent Stem Cells.
CNS Neurol Disord Drug Targets. 2016;15(5):544-50.

【ゲノム・再生医療センター：服部浩一】

10. Dhahri D, Sato-Kusubata K, Ohki-Koizumi M, Nishida C, Tashiro Y, Munakata S, Shimazu H, Salama Y, Eiamboonsert S, Nakauchi H, Hattori K, Heissig B.

Fibrinolytic crosstalk with endothelial cells expands murine mesenchymal stromal cells.

Blood. 2016 Aug 25;128(8):1063-75.

11. Heissig B, Eiamboonsert S, Salama Y, Shimazu H, Dhahri D, Munakata S, Tashiro Y, Hattori K.
Cancer therapy targeting the fibrinolytic system.
Adv Drug Deliv Rev. 2016 Apr 1;99(Pt B):172-9.

【腎臓内科】

12. Arai S, Kitada K, Yamazaki T, Takai R, Zhang X, Tsugawa Y, Sugisawa R, Matsumoto A, Mori M, Yoshihara Y, Doi K, Maehara N, Kusunoki S, Takahata A, Noiri E, **Suzuki Y**, Yahagi N, Nishiyama A, Gunaratnam L, Takano T, Miyazaki T.
Apoptosis inhibitor of macrophage protein enhances intraluminal debris clearance and ameliorates acute kidney injury in mice.
Nat Med. 2016 Feb;22(2):183-93
13. Yamanaka T, Tamauchi H, **Suzuki Y**, Suzuki H, Horikoshi S, Terashima M, Iwabuchi K, Habu S, Okumura K, **Tomino Y**.
Release from Th1-type immune tolerance in spleen and enhanced production of IL-5 in Peyer's patch by cholera toxin B induce the glomerular deposition of IgA.
Immunobiology. 2016 Apr;221(4):577-85.
14. Lai KN, Tang SC, Schena FP, Novak J, **Tomino Y**, Fogo AB, Glasscock RJ.
IgA nephropathy.
Nat Rev Dis Primers. 2016 Feb 11;2:16001.

【形成外科】

15. Yoshizawa H, Senda D, Natori Y, **Tanaka R**, **Mizuno H**, Hayashi A.
End-to-Side Neuroorrhaphy as Schwann Cells Provider to Acellular Nerve Allograft and Its Suitable Application.
PLoS One. 2016 Dec 1;11(12):e0167507.
16. Horikoshi-Ishihara H, Tobita M, Tajima S, **Tanaka R**, Oshita T, Tabata Y, **Mizuno H**.
Coadministration of adipose-derived stem cells and control-released basic fibroblast growth factor facilitates angiogenesis in a murine ischemic hind limb model.
J Vasc Surg. 2016 Dec;64(6):1825-1834.e1.
17. Oshita T, Tobita M, Tajima S, **Mizuno H**.
Adipose-Derived Stem Cells Improve Collagenase-Induced Tendinopathy in a Rat Model.
Am J Sports Med. 2016 Aug;44(8):1983-9.

18. Sukmawati D, **Tanaka R**, Ito-Hirano R, Fujimura S, Hayashi A, Itoh S, **Mizuno H**, Daida H.
The role of Notch signaling in diabetic endothelial progenitor cells dysfunction.
J Diabetes Complications. 2016 Jan-Feb;30(1):12-20.
19. Ferraro GA, **Mizuno H**, Pallua N.
Adipose Stem Cells: From Bench to Bedside.
Stem Cells Int. 2016;2016:6484038.
- 【循環器内科】**
20. Wada H, Dohi T, Miyauchi K, Shitara J, Endo H, Doi S, Naito R, Konishi H, Tsuboi S, Ogita M, Kasai T, Hassan A, Okazaki S, Isoda K, Shimada K, Suwa S, **Daida H**.
Preprocedural High-Sensitivity C-Reactive Protein Predicts Long-Term Outcome of Percutaneous Coronary Intervention.
Circ J. 2016 Dec 22;81(1):90-95.
21. Ogita M, Miyauchi K, Onishi A, Tsuboi S, Wada H, Konishi H, Naito R, Dohi T, Kasai T, Kojima Y, Schwartz RS, **Daida H**.
Development of Accelerated Coronary Atherosclerosis Model Using Low Density Lipoprotein Receptor Knock-Out Swine with Balloon Injury.
PLoS One. 2016 Sep 15;11(9):e0163055.
22. Jiang L, Konishi H, Nurwidya F, Satoh K, Takahashi F, Ebinuma H, Fujimura K, Takasu K, Jiang M, Shimokawa H, Bujo H, **Daida H**.
Deletion of LR11 Attenuates Hypoxia-Induced Pulmonary Arterial Smooth Muscle Cell Proliferation With Medial Thickening in Mice.
Arterioscler Thromb Vasc Biol. 2016 Sep;36(9):1972-9.
23. Akita K, Isoda K, Okabayasi Y, Shimada K, **Daida H**.
Lack of I κ BNS accelerates atherosclerosis in LDL receptor-deficient mice via increased interleukin-6 production.
Int J Cardiol. 2016 May 15;211:61-3.
24. Sai E, Shimada K, Miyauchi K, Masaki Y, Kojima T, Miyazaki T, Kurata T, Ogita M, Tsuboi S, Yoshihara T, Miyazaki T, Ohsaka A, **Daida H**.

Increased cystatin C levels as a risk factor of cardiovascular events in patients with preserved estimated glomerular filtration rate after elective percutaneous coronary intervention with drug-eluting stents.

Heart Vessels. 2016 May;31(5):694-701.

25. Ogita M, Miyauchi K, Kasai T, Tsuboi S, Wada H, Naito R, Konishi H, Dohi T, Tamura H, Okazaki S, Yanagisawa N, Shimada K, Suwa S, Jiang M, Bujo H, **Daida H**.

Prognostic impact of circulating soluble LR11 on long-term clinical outcomes in patients with coronary artery disease.

Atherosclerosis. 2016 Jan;244:216-21.

26. Shibayama K, Daimon M, Watanabe H, Kawata T, Miyazaki S, Morimoto-Ichikawa R, Maruyama M, Chiang SJ, Miyauchi K, **Daida H**.

Significance of Coronary Artery Disease and Left Ventricular Afterload in Unoperated Asymptomatic Aortic Stenosis.

Circ J. 2016;80(2):519-25.

27. Naito R, Miyauchi K, Konishi H, Tsuboi S, Ogita M, Dohi T, Kasai T, Tamura H, Okazaki S, Isoda K, **Daida H**.

Appropriate Level of Low-Density Lipoprotein Cholesterol for Secondary Prevention of Coronary Artery Disease.

J Atheroscler Thromb. 2016;23(4):413-21.

【代謝内分泌内科】

28. Yamaguchi H, Arakawa S, Kanaseki T, Miyatsuka T, Fujitani Y, **Watada H**, Tsujimoto Y, Shimizu S.

Golgi membrane-associated degradation pathway in yeast and mammals.

EMBO J. 2016 Sep 15;35(18):1991-2007.

29. Ikeda S, Tamura Y, Kakehi S, Sanada H, Kawamori R, **Watada H**.

Exercise-induced increase in IL-6 level enhances GLUT4 expression and insulin sensitivity in mouse skeletal muscle.

Biochem Biophys Res Commun. 2016 May 13;473(4):947-52.

30. Kubo F, Miyatsuka T, Sasaki S, Takahara M, Yamamoto Y, Shimo N, **Watada H**, Kaneto H, Gannon M, Matsuoka TA, Shimomura I.

Sustained expression of GLP-1 receptor differentially modulates β -cell functions in diabetic and nondiabetic mice.

Biochem Biophys Res Commun. 2016 Feb 26;471(1):68-74.

31. Imamura M, Takahashi A, Yamauchi T, Hara K, Yasuda K, Grarup N, Zhao W, Wang X, Huerta-Chagoya A, Hu C, Moon S, Long J, Kwak SH, Rasheed A, Saxena R, Ma RC, Okada Y, Iwata M, Hosoe J, Shojima N, Iwasaki M, Fujita H, Suzuki K, Danesh J, Jørgensen T, Jørgensen ME, Witte DR, Brandslund I, Christensen C, Hansen T, Mercader JM, Flannick J, Moreno-Macías H, Burt NP, Zhang R, Kim YJ, Zheng W, Singh JR, Tam CH, Hirose H, Maegawa H, Ito C, Kaku K, **Watada H**, Tanaka Y, Tobe K, Kawamori R, Kubo M, Cho YS, Chan JC, Sanghera D, Frossard P, Park KS, Shu XO, Kim BJ, Florez JC, Tusié-Luna T, Jia W, Tai ES, Pedersen O, Saleheen D, Maeda S, Kadowaki T.

Genome-wide association studies in the Japanese population identify seven novel loci for type 2 diabetes.

Nat Commun. 2016 Jan 28;7:10531.

32. Uchida T, Suzuki R, Kasai T, Onose H, Komiya K, Goto H, Takeno K, Ishii S, Sato J, Honda A, Kawano Y, Himuro M, Yamada E, Yamada T, **Watada H**.

Cutoff value of thyroid uptake of (99m)Tc-pertechnetate to discriminate between Graves' disease and painless thyroiditis: a single center retrospective study.

Endocr J. 2016;63(2):143-9.

【脳神経内科】

33. Sato S, Koike M, Funayama M, Ezaki J, Fukuda T, Ueno T, Uchiyama Y, **Hattori N**.
Lysosomal Storage of Subunit c of Mitochondrial ATP Synthase in Brain-Specific Atp1 3a2-Deficient Mice.

Am J Pathol. 2016 Dec;186(12):3074-3082.

34. Kino Y, Washizu C, Kurosawa M, Yamada M, Doi H, Takumi T, Adachi H, Katsuno M, Sobue G, Hicks GG, **Hattori N**, Shimogori T, Nukina N.

FUS/TLS acts as an aggregation-dependent modifier of polyglutamine disease model mice.

Sci Rep. 2016 Oct 14;6:35236.

35. Yamanaka T, Tosaki A, Miyazaki H, Kurosawa M, Koike M, Uchiyama Y, Maity SN, Misawa H, Takahashi R, Shimogori T, **Hattori N**, Nukina N.
Differential roles of NF-Y transcription factor in ER chaperone expression and neuronal maintenance in the CNS.
Sci Rep. 2016 Sep 30;6:34575.
36. Cossu D, Yokoyama K, Sechi LA, Otsubo S, Tomizawa Y, Momotani E, **Hattori N**.
Humoral response against host-mimetic homologous epitopes of Mycobacterium avium s ubsp. paratuberculosis in Japanese multiple sclerosis patients.
Sci Rep. 2016 Jun 30;6:29227.
37. Kuroki T, Tanaka R, Shimada Y, Yamashiro K, Ueno Y, Shimura H, Urabe T, **Hattori N**.
Exendin-4 Inhibits Matrix Metalloproteinase-9 Activation and Reduces Infarct Growth After Focal Cerebral Ischemia in Hyperglycemic Mice.
Stroke. 2016 May;47(5):1328-35.
38. Conedera S, Apaydin H, Li Y, Yoshino H, Ikeda A, Matsushima T, Funayama M, Nishioka K, **Hattori N**.
FBXO7 mutations in Parkinson's disease and multiple system atrophy.
Neurobiol Aging. 2016 Apr;40:192.e1-5.
39. Ochiishi T, Doi M, Yamasaki K, Hirose K, Kitamura A, Urabe T, **Hattori N**, Kinjo M, Ebihara T, Shimura H.
Development of new fusion proteins for visualizing amyloid- β oligomers in vivo.
Sci Rep. 2016 Mar 16;6:22712.
40. Matsumoto T, Fujimori K, Andoh-Noda T, Ando T, Kuzumaki N, Toyoshima M, Tada H, Imaizumi K, Ishikawa M, Yamaguchi R, Isoda M, Zhou Z, Sato S, Kobayashi T, Ohtaka M, Nishimura K, Kurosawa H, Yoshikawa T, Takahashi T, Nakanishi M, Ohyama M, Hattori N, **Akamatsu W**, Okano H.
Functional Neurons Generated from T Cell-Derived Induced Pluripotent Stem Cells for Neurological Disease Modeling.

Stem Cell Reports. 2016 Mar 8;6(3):422-35.

41. Yamanaka T, Tosaki A, Kurosawa M, Shimogori T, **Hattori N**, Nukina N.
Genome-wide analyses in neuronal cells reveal that upstream transcription factors regulate lysosomal gene expression.
FEBS J. 2016 Mar;283(6):1077-87.
42. Yamada D, Saiki S, Furuya N, Ishikawa K, Imamichi Y, Kambe T, Fujimura T, Ueno T, Koike M, Sumiyoshi K, **Hattori N**.
Ethambutol neutralizes lysosomes and causes lysosomal zinc accumulation.
Biochem Biophys Res Commun. 2016 Feb 26;471(1):109-16.
43. Kurosawa M, Matsumoto G, Sumikura H, Hatsuta H, Murayama S, Sakurai T, Shimogori T, **Hattori N**, Nukina N.
Serine 403-phosphorylated p62/SQSTM1 immunoreactivity in inclusions of neurodegenerative diseases.
Neurosci Res. 2016 Feb;103:64-70.
44. Elahi M, Hasan Z, Motoi Y, Matsumoto SE, Ishiguro K, **Hattori N**.
Region-Specific Vulnerability to Oxidative Stress, Neuroinflammation, and Tau Hyperphosphorylation in Experimental Diabetes Mellitus Mice.
J Alzheimers Dis. 2016;51(4):1209-24.
45. **Hattori N**.
Movement disorders: advances in 2015.
Lancet Neurol. 2016 Jan;15(1):8-9.
46. Elahi M, Motoi Y, Matsumoto SE, Hasan Z, Ishiguro K, **Hattori N**.
Short-term treadmill exercise increased tau insolubility and neuroinflammation in tauopathy model mice.
Neurosci Lett. 2016 Jan 1;610:207-12.

【神経生物学】

47. Tsuboyama, K., Koyama-Honda, I., Sakamaki, Y., **Koike, M.**, Morishita, H., Mizushima, N.

The ATG conjugation systems are important for degradation of the inner autophagosomal membrane.

Science 354(6315):1036-41, 2016.

48. Yamanaka T, Tosaki A, Miyazaki H, Kurosawa M, **Koike M**, Uchiyama Y, Maity SN, Misawa H, Takahashi R, Shimogori T, Hattori N, Nukina N.

Differential roles of NF-Y transcription factor in ER chaperone expression and neuronal maintenance in the CNS.

Sci Rep. 2016 Sep 30;6:34575.

49. Sato S, **Koike M**, Funayama M, Ezaki J, Fukuda T, Ueno T, Uchiyama Y, Hattori N.

Lysosomal Storage of Subunit c of Mitochondrial ATP Synthase in Brain-Specific Atp13a2-Deficient Mice.

Am J Pathol. 2016 Dec;186(12):3074-3082.

50. Hadano, S., Mitsui, S., Pan, L., Otomo, A., Kubo, M., Sato, K., Ono, S., Onodera, W., Abe, K., **Koike, M.**, Uchiyama, Y., Aoki, M., Warabi, E., Yamamoto, M., Ishii, T., Yanagawa, T., Shang, HF., Yoshii, F.

Functional links between SQSTM1 and ALS2 in the pathogenesis of ALS: Cumulative impact on the protection against mutant SOD1-mediated motor dysfunction in mice.

Hum. Mol. Genet. 25(15):3321-40, 2016

51. Sunabori, T., **Koike, M.**, Asari, A., Oonuki, Y., Uchiyama, Y.

Suppression of ischemia-induced hippocampal pyramidal neuron death by hyaluronan tetracosaccharide through inhibition of Toll-like receptor 2 signaling pathway.

Am. J. Pathol. 186(8):2143-51, 2016.

52. Shibata, M., **Koike, M.**, Kusumi, S., Sato, N., Uchiyama, Y.

A specific tripeptidyl substrate for tripeptidyl peptidase activity is effectively hydrolyzed by alanyl aminopeptidase/aminopeptidase N/CD13 in the rat kidney.

Arch Histol Cytol. 76(1):1-8, 2016.

53. Sekine S., Yao, A., Hattori, K., Sugawara, S., Naguro, I., **Koike, M.**, Uchiyama, Y., Takeda, K., Ichijo, H.

PGAM5 deficiency confers resistance against metabolic stress in mice.

EBioMedicine 5:82-92, 2016.

54. Yamada D, Saiki S, Furuya N, Ishikawa K, Imamichi Y, Kambe T, Fujimura T, Ueno T, Koike M, Sumiyoshi K, Hattori N.

Ethambutol neutralizes lysosomes and causes lysosomal zinc accumulation.

Biochem Biophys Res Commun. 2016 Feb 26;471(1):109-16.

55. Yamamoto-Nonaka K., Koike, M., Asanuma, K., Akiba-Takagi, M., Trejo, JA., Seki, T., Hidaka, T., Ichimura, K., Sakai, T., Tada, N., Ueno, T., Uchiyama, Y., Tomino, Y.

Cathepsin D in Podocytes Is Important in the Pathogenesis of Proteinuria and CKD.

J. Am. Soc. Nephrol. 27(9):2685-700, 2016.

56. Xie, C., Ginet, V., Sun, Y., Koike, M., Zhou, K., Li, T., Li, H., Li, Q., Wang, X., Uchiyama, Y., Truttmann, AC., Kroemer, G., Puyal, J., Blomgren, K., Zhu, C.

Neuroprotection by selective neuronal deletion of autophagy-related gene ATG7 in neonatal brain injury.

Autophagy 12(2):410-23, 2016.

【生化学第一】

57. Ichiki T, Koga T*, Yokomizo T.

Receptor for Advanced Glycation End Products Regulates Leukotriene B4 Receptor 1 Signaling.

DNA Cell Biol. 2016 Dec;35(12):747-50. (*corresponding author)

58. Shigematsu M, Koga T, Ishimori A, Saeki K, Ishii Y, Taketomi Y, Ohba M, Jo-Watanabe A, Okuno T, Harada N, Harayama T, Shindou H, Li JD, Murakami M, Hoka S, Yokomizo T.

Leukotriene B4 receptor type 2 protects against pneumolysin-dependent acute lung injury.

Sci Rep. 2016 Oct 5;6:34560.

59. Kojo K, Ito Y, Eshima K, Nishizawa N, Ohkubo H, Yokomizo T., Shimizu T, Watanabe M, Majima M.

BLT1 signalling protects the liver against acetaminophen hepatotoxicity by preventing excessive accumulation of hepatic neutrophils.

Sci Rep. 2016 Jul 11;6:29650.

60. Chiba T, Nakahara T, Hashimoto-Hachiya A, **Yokomizo T**, Uchi H, Furue M.
The leukotriene B4 receptor BLT2 protects barrier function via actin polymerization with phosphorylation of myosin phosphatase target subunit 1 in human keratinocytes.
Exp Dermatol. 2016 Jul;25(7):532-6.
61. Ichiki T, Koga T, Okuno T, Saeki K, Yamamoto Y, Yamamoto H, Sakaguchi M, **Yokomizo T**.
Modulation of leukotriene B4 receptor 1 signaling by receptor for advanced glycation end products (RAGE).
FASEB J. 2016 May;30(5):1811-22.
62. Oba J, Nakahara T, Hashimoto-Hachiya A, Liu M, Abe T, Hagihara A, **Yokomizo T**, Furue M.
CD10-Equipped Melanoma Cells Acquire Highly Potent Tumorigenic Activity: A Plausible Explanation of Their Significance for a Poor Prognosis.
PLoS One. 2016 Feb 16;11(2):e0149285.
63. Ishii Y, Saeki K, Liu M, Sasaki F, Koga T, Kitajima K, Meno C, Okuno T, **Yokomizo T**.
Leukotriene B4 receptor type 2 (BLT2) enhances skin barrier function by regulating tight junction proteins.
FASEB J. 2016 Feb;30(2):933-47.
64. Tabe Y, Hatanaka Y, Nakashiro M, Sekihara K, Yamamoto S, Matsushita H, Kazuno S, Fujimura T, Ikegami T, Nakanaga K, Matsumoto H, Ueno T, Aoki J, **Yokomizo T**, Konopleva M, Andreeff M, Miida T, Iwabuchi K, Sasai K.
Integrative genomic and proteomic analyses identifies glycerol-3-phosphate acyltransferase as a target of low-dose ionizing radiation in EBV infected-B cells.
Int J Radiat Biol. 2016;92(1):24-34.

【生化学第二】

65. Tamura H, Reich J, **Nagaoka I**
Bacterial endotoxin assays relevant to host defense peptides.
Juntendo Med J 62: 132-140, 2016.

66. Suzuki K, Murakami T, Hu Z, Tamura H, Kuwahara-Arai K, Iba T, **Nagaoka I**
Human antimicrobial cathelicidin peptide LL-37 enhances the LPS uptake by liver sinusoidal endothelial cells without cell activation.
J Immunol 196: 1338-1347, 2016.
67. Suzuki K, **Nagaoka I**
The effect of human host defense peptide LL-37 on endothelial cells.
Juntendo Med J 62: 105-111, 2016.
68. Someya A, Ikegami T, Sakamoto K, **Nagaoka I**
Glucosamine downregulates the IL-1 α -Induced expression of proinflammatory cytokine genes in human synovial MH7A cells by O-GlcNAc modification-dependent and -independent mechanisms.
PLoS One 2016 Oct 24;11(10):e0165158.
69. Iba T, Hamakubo T, **Nagaoka I**, Sato K, Thachil J
Physiological levels of pentraxin 3 and albumin attenuate vascular endothelial cell damage Induced by histone H3 in vitro.
Microcirculation 23: 240-247, 2016.
70. Hu Z, **Nagaoka I**
Modulation of macrophage cell death, pyroptosis by host defense peptide LL-37.
Juntendo Med J 62: 98-104, 2016.
71. **Nagaoka I**
Have host defense peptides been acting in innate immunity since the trilobites of the Cambrian period 540 million years ago?
Juntendo Med J 62: 96-97, 2016.
72. Hu Z, Murakami T, Suzuki K, Tamura H, Reich J, Kuwahara-Arai K, Iba T, **Nagaoka I**
Antimicrobial cathelicidin peptide LL-37 inhibits the pyroptosis of macrophages and improves the survival of polybacterial septic mice.
Int Immunol 28: 245-253, 2016.

73. Murakami T, Hu Z, Tamura H, Nagaoka I.
Release mechanism of high mobility group nucleosome binding domain 1 from lipopolysaccharide-stimulated macrophages.
 Mol Med Rep. 2016 Apr;13(4):3115-20.
74. Tada H, Shimizu T, Nagaoka I, Takada H.
Vitamin D3 analog maxacalcitol (OCT) induces hCAP-18/LL-37 production in human oral epithelial cells.
 Biomed Res. 2016;37(3):199-205.

【皮膚科】

75. Kiatsurayanon C, Niyonsaba F, Chieosilapatham P, Okumura K, Ikeda S, Ogawa H:
Angiogenic peptide (AG)-30/5C activates human keratinocytes to produce cytokines/chemokines and to migrate and proliferate via MrgX receptors.
 J Dermatol Sci 83: 190-199, 2016
76. Shimura S, Takai T, Iida H, Maruyama N, Ochi H, Kamijo S, Nishioka I, Hara M, Matsuda A, Saito H, Nakae S, Ogawa H, Okumura K, Ikeda S
Epicutaneous Allergic Sensitization by Cooperation between Allergen Protease Activity and Mechanical Skin Barrier Damage in Mice.
 J Invest Dermatol 136: 1408-1417, 2016
77. Kamijo S, Suzuki M, Hara M, Shimura S, Ochi H, Maruyama N, Matsuda A, Saito H, Nakae S, Suto H, Ichikawa S, Ikeda S, Ogawa H, Okumura K, Takai T
Subcutaneous Allergic Sensitization to Protease Allergen Is Dependent on Mast Cells but Not IL-33: Distinct Mechanisms between Subcutaneous and Intranasal Routes.
 J Immunol 196: 3559-3569, 2016
78. Kamijo M, Wada A, Mineki R, Sakanishi T, Ikeda S.
Prostaglandin E receptor 4 inhibition restores UVB-induced downregulation of ATP2A2/SERCA2 in cultured normal human keratinocytes.
 J Dermatol Sci. 2016 Jan;81(1):69-71.
79. Yoshihara N, Ueno T, Takagi A, Oliva Trejo JA, Haruna K, Suga Y, Komatsu M, Tanaka

K, Ikeda S

The significant role of autophagy in the granular layer in normal skin differentiation and hair growth.

Arch Dermatol Res 307: 159-169, 2016

【免疫学】

80. Ishimori A, Harada N*, Chiba A, Harada S, Matsuno K, Makino F, Ito J, Ohta S, Ono Junya, Atsuta R, Izuhara K, Takahashi K, Miyake S*.

Circulating activated innate lymphoid cells and mucosal-associated invariant T cells are associated with airflow limitation in patients with asthma.

Allergology International.[Epub ahead], 2016. (*corresponding author)

81. Hayashi E, Chiba A*, Tada k, Haga K, Kitagaichi M, Nakajima S, Kusaoi M, Sekiya F, Ogasawara M, Yamaji K, Tamura N, Takasaki Y, Miyake S*. **Involvement of**

Mucosal-associated Invariant T cells in Ankylosing Spondylitis.

Journal of Rheumatology.43(9):1695-1703, 2016. (*corresponding author)

82. Kadowaki A*, Miyake S*, Saga R, Chiba A, Mochizuki H, Yamamura T*.

Gut environment-induced intraepithelial autoreactive CD4+ T cells suppress central nervous system autoimmunity via LAG-3.

Nature Communications. 7:11639, 2016. (*corresponding author)

83. Haga K, Chiba A*, Shibuya T, Osada T, Ishikawa D, Kodani T, Nomura O, Watanabe S, Miyake S*.

MAIT cells are activated and accumulated in the inflamed mucosa of ulcerative colitis.

Journal of Gastroenterology and Hepatology. 31(5):965-72, 2016. (*corresponding author)

【臨床検査医学】

84. Idei M, Tabe Y, Hamada C, Miyake K, Takemura H, Io H, Wakita M, Horii T, Tomino Y, Ohsaka A, Miida T.

Pancreatic lipase activity in overnight effluent predicts high transport status in peritoneal dialysis patients.

Clin Chim Acta. 2016 Nov 1;462:65-70.

85. Watts GF, Ding PY, George P, Hagger MS, Hu M, Lin J, Khoo KL, Marais AD, **Miida T**, Nawawi HM, Pang J, Park JE, Gonzalez-Santos LB, Su TC, Truong TH, Santos RD, Soran H, Yamashita S, Tomlinson B; for the members of the "Ten countries Study".
Translational Research for Improving the Care of Familial Hypercholesterolemia: The "Ten Countries Study" and Beyond.
J Atheroscler Thromb. 2016 Aug 1;23(8):891-900.
86. Horiuchi Y, Tabe Y, Kasuga K, Maenou I, Idei M, Horii T, **Miida T**, Ohsaka A.
The efficacy of an internet-based e-learning system using the CellaVision Competency Software for continuing professional development.
Clin Chem Lab Med. 2016 Apr;54(4):e127-31.
87. Ueno T, Hirayama S, Sugihara M, **Miida T**.
The bromocresol green assay, but not the modified bromocresol purple assay, overestimates the serum albumin concentration in nephrotic syndrome through reaction with α 2-macroglobulin.
Ann Clin Biochem. 2016 Jan;53(Pt 1):97-105.
88. Hayashi K, Tabe Y, **Miida T**.
Impact of Clotting Condition on the Measurement of Circulating MicroRNAs in Serum.
Clin Lab. 2016;62(3):471-5.
89. Tabe Y, Hatanaka Y, Nakashiro M, Sekihara K, Yamamoto S, Matsushita H, Kazuno S, Fujimura T, Ikegami T, Nakanaga K, Matsumoto H, Ueno T, Aoki J, Yokomizo T, Konopleva M, Andreeff M, **Miida T**, Iwabuchi K, Sasai K.
Integrative genomic and proteomic analyses identifies glycerol-3-phosphate acyltransferase as a target of low-dose ionizing radiation in EBV infected-B cells.
Int J Radiat Biol. 2016;92(1):24-34.