

## アトピー疾患研究センター 研究業績 (2017年)

---

1. Kawauchi T, Ishimaru K, Nakamura Y, Nakano N, Hara M, Ogawa H, Okumura K, Shibata S, Nakao A.  
**Clock-dependent temporal regulation of IL-33/ST2-mediated mast cell response.**  
Allergol Int. 2017;66:472-478.
2. Toyama S, Okada N, Matsuda A, Morita H, Saito H, Fujisawa T, Nakae S, Karasuyama H, Matsumoto K.  
**Human eosinophils constitutively express a unique serine protease, PRSS33.**  
Allergol Int. 2017;66:463-471.
3. Yamamoto-Hanada K, Yang L, Narita M, Saito H, Ohya Y.  
**Influence of antibiotic use in early childhood on asthma and allergic diseases at age 5.**  
Ann Allergy Asthma Immunol. 2017;119:54-58.
4. Abe Y, Nambu A, Yamaguchi S, Takamori A, Suto H, Hirose S, Yokosuka T, Nakae S, Sudo K.  
**Role of interleukin-25 in development of spontaneous arthritis in interleukin-1 receptor antagonist-deficient mice.**  
Biochem Biophys Res Commun. 2017;488:62-65.
5. Eiamboonsert S, Salama Y, Watarai H, Dhahri D, Tsuda Y, Okada Y, Hattori K, Heissig B.  
**The role of plasmin in the pathogenesis of murine multiple myeloma.**  
Biochem Biophys Res Commun. 2017;488:387-392.
6. Salama Y, Hattori K, Heissig B.  
**The angiogenic factor Eglf7 alters thymogenesis by activating Flt3 signaling.**  
Biochem Biophys Res Commun. 2017;490:209-216.
7. Thu Le HP, Nakamura Y, Oh-oka K, Ishimaru K, Nakajima S, Nakao A.  
**The frequency of Th17 cells in the small intestine exhibits a day-night variation dependent on circadian clock activity.**

Biochem Biophys Res Commun. 2017;490:290-295.

8. Shimazu H, Munakata S, Tashiro Y, Salama Y, Dhahri D, Eiamboonsert S, Ota Y, Onoda H, Tsuda Y, Okada Y, Nakauchi H, Heissig B, Hattori K.  
**Pharmacological targeting of plasmin prevents lethality in a murine model of macrophage activation syndrome.**  
Blood. 2017;130:59-72.
9. Morokuma S, Shimokawa M, Kato K, Sanefuji M, Shibata E, Tsuji M, Senju A, Kawamoto T, Kusuhara K; Japan Environment & Children's Study Group.  
**Maternal sleep and small for gestational age infants in the Japan Environment and Children's Study: a cohort study.**  
BMC Res Notes. 2017;10:394.
10. Kiatsurayanon C, Rojanamatin J, Sudtikoonaseth P, Kampirapap K, Wichaidit M, Niyonsaba F.  
**Unilateral Linear Punctate Palmoplantar Keratoderma: A Case Report.**  
Case Rep Dermatol. 2017;9:86-89.
11. Oh-Oka K, Kojima Y, Uchida K, Yoda K, Ishimaru K, Nakajima S, Hemmi J, Kano H, Fujii-Kuriyama Y, Katoh R, Ito H, Nakao A.  
**Induction of Colonic Regulatory T Cells by Mesalamine by Activating the Aryl Hydrocarbon Receptor.**  
Cell Mol Gastroenterol Hepatol. 2017;4:135-151.
12. Yao T, Fujimura T, Murayama K, Okumura K, Seko Y.  
**Oxidative Stress-Responsive Apoptosis Inducing Protein (ORAIP) Plays a Critical Role in High Glucose-Induced Apoptosis in Rat Cardiac Myocytes and Murine Pancreatic  $\beta$ -Cells.**  
Cells. 2017;6.
13. Chieosilapatham P, Ogawa H, Niyonsaba F.  
**Current insights into the role of human  $\beta$ -defensins in atopic dermatitis.**  
Clin Exp Immunol. 2017;190:155-166.
14. Niyonsaba F, Kiatsurayanon C, Chieosilapatham P, Ogawa H.  
**Friends or Foes? Host defense (antimicrobial) peptides and proteins in human skin**

diseases.

Exp Dermatol. 2017;26:989-998.

15. Osada Y, Fujiyama T, Kamimura N, Kaji T, Nakae S, Sudo K, Ishiwata K, Kanazawa T.  
**Dual genetic absence of STAT6 and IL-10 does not abrogate anti-hyperglycemic effects of Schistosoma mansoni in streptozotocin-treated diabetic mice.**  
Exp Parasitol. 2017;177:1-12.
16. Honjo K, Munakata S, Tashiro Y, Salama Y, Shimazu H, Eiamboonsert S, Dhahri D, Ichimura A, Dan T, Miyata T, Takeda K, Sakamoto K, Hattori K, Heissig B. **Plasminogen activator inhibitor-1 regulates macrophage-dependent postoperative adhesion by enhancing EGF-HER1 signaling in mice.**  
FASEB J. 2017;31:2625-2637.
17. Sugita J, Asada Y, Ishida W, Iwamoto S, Sudo K, Suto H, Matsunaga T, Fukuda K, Fukushima A, Yokoi N, Ohno T, Azuma M, Ebihara N, Saito H, Kubo M, Nakae S, Matsuda A.  
**Contributions of Interleukin-33 and TSLP in a papain-soaked contact lens-induced mouse conjunctival inflammation model.**  
Immun Inflamm Dis. 2017;5:515-525.
18. Yanashima K, Chieosilapatham P, Yoshimoto E, Okumura K, Ogawa H, Niyonsaba F.  
**Innate defense regulator IDR-1018 activates human mast cells through G protein-, phospholipase C-, MAPK- and NF- $\kappa$ B-sensitive pathways.**  
Immunol Res. 2017;65:920-931.
19. Yashiro T, Kasakura K, Oda Y, Kitamura N, Inoue A, Nakamura S, Yokoyama H, Fukuyama K, Hara M, Ogawa H, Okumura K, Nishiyama M, Nishiyama C.  
**The hematopoietic cell-specific transcription factor PU.1 is critical for expression of CD11c.**  
Int Immunol. 2017;29:87-94.
20. Kawakami Y, Ando T, Lee JR, Kim G, Kawakami Y, Nakasaki T, Nakasaki M, Matsumoto K, Choi YS, Kawakami T.  
**Defective natural killer cell activity in a mouse model of eczema herpeticum.**  
J Allergy Clin Immunol. 2017;139:997-1006.e10.

21. Honjo A, Nakano N, Yamazaki S, Hara M, Uchida K, Kitaura J, Nishiyama C, Yagita H, Ohtsuka Y, Ogawa H, Okumura K, Shimizu T.  
**Pharmacological inhibition of Notch signaling suppresses food antigen-induced mucosal mast cell hyperplasia.**  
J Allergy Clin Immunol. 2017;139:987-996.e10.
22. Morita H, Suzuki H, Orihara K, Motomura K, Matsuda A, Ohya Y, Saito H, Nomura I, Matsumoto K.  
**Food protein-induced enterocolitis syndromes with and without bloody stool have distinct clinicopathologic features.**  
J Allergy Clin Immunol. 2017;140:1718-1721.e6.
23. Yagami A, Aihara M, Ikezawa Z, Hide M, Kishikawa R, Morita E, Chinuki Y, Fukutomi Y, Urisu A, Fukushima A, Itagaki Y, Sugiura SI, Tanaka H, Teshima R, Kato Z, Noguchi E, Nakamura M, Saito H, Matsunaga K.  
**Outbreak of immediate-type hydrolyzed wheat protein allergy due to a facial soap in Japan.**  
J Allergy Clin Immunol. 2017;140:879-881.e7.
24. Nishina T, Deguchi Y, Miura R, Yamazaki S, Shinkai Y, Kojima Y, Okumura K, Kumagai Y, Nakano H.  
**Critical Contribution of Nuclear Factor Erythroid 2-related Factor 2 (NRF2) to Electrophile-induced Interleukin-11 Production.**  
J Biol Chem. 2017;292:205-216.
25. Shiba E, Izawa K, Kaitani A, Isobe M, Maehara A, Uchida K, Maeda K, Nakano N, Ogawa H, Okumura K, Kitamura T, Shimizu T, Kitaura J.  
**Ceramide-CD300f Binding Inhibits Lipopolysaccharide-induced Skin Inflammation.**  
J Biol Chem. 2017;292: 2924-2932.
26. Ikutani M, Tsuneyama K, Kawaguchi M, Fukuoka J, Kudo F, Nakae S, Arita M, Nagai Y, Takaki S, Takatsu K.  
**Prolonged activation of IL-5-producing ILC2 causes pulmonary arterial hypertrophy.**  
JCI Insight. 2017;2:e90721.

27. Ando T, Kashiwakura JI, Itoh-Nagato N, Yamashita H, Baba M, Kawakami Y, Tsai SH, Inagaki N, Takeda K, Iwata T, Shimojo N, Fujisawa T, Nagao M, Matsumoto K, Kawakami Y, Kawakami T.  
**Histamine-releasing factor enhances food allergy.**  
J Clin Invest. 2017;127:4541-4553.
28. Chieosilapatham P, Niyonsaba F, Kiatsurayanon C, Okumura K, Ikeda S, Ogawa H.  
**The antimicrobial peptide derived from insulin-like growth factor-binding protein 5, AMP-IBP5, regulates keratinocyte functions through Mas-related gene X receptors.**  
J Dermatol Sci. 2017;88:117-125.
29. Oshio T, Komine M, Tsuda H, Tominaga SI, Saito H, Nakae S, Ohtsuki M.  
**Nuclear expression of IL-33 in epidermal keratinocytes promotes wound healing in mice.**  
J Dermatol Sci. 2017;85:106-114.
30. Shoda T, Futamura M, Yang L, Narita M, Saito H, Ohya Y.  
**Yogurt consumption in infancy is inversely associated with atopic dermatitis and food sensitization at 5 years of age: A hospital-based birth cohort study.**  
J Dermatol Sci. 2017;86:90-96.
31. Umehara Y, Kamata Y, Tominaga M, Niyonsaba F, Ogawa H, Takamori K. **Antimicrobial peptides human LL-37 and  $\beta$ -defensin-3 modulate the expression of nerve elongation factors in human epidermal keratinocytes.**  
J Dermatol Sci. 2017;88:365-367.
32. Isshiki T, Akiba H, Nakayama M, Harada N, Okumura K, Homma S, Miyake S. **Cutting Edge: Anti-TIM-3 Treatment Exacerbates Pulmonary Inflammation and Fibrosis in Mice.**  
J Immunol. 2017;199:3733-3737.
33. Nagaoka M, Yashiro T, Uchida Y, Ando T, Hara M, Arai H, Ogawa H, Okumura K, Kasakura K, Nishiyama C. **The orphan nuclear receptor NR4A3 is involved in the function of dendritic cells.**  
J Immunol. 2017;199:2958-2967.

34. Nakajima A, Kaga N, Nakanishi Y, Ohno H, Miyamoto J, Kimura I, Hori S, Sasaki T, Hiramatsu K, Okumura K, Miyake S, Habu S, Watanabe S.  
**Maternal High Fiber Diet during Pregnancy and Lactation Influences Regulatory T Cell Differentiation in Offspring in Mice.**  
J Immunol. 2017;199:3516-3524.
35. Ochi H, Takai T, Shimura S, Maruyama N, Nishioka I, Kamijo S, Iida H, Nakae S, Ogawa H, Okumura K, Ikeda S.  
**Skin Treatment with Detergent Promotes Protease Allergen-Dependent Epicutaneous Sensitization in a Manner Different from Tape Stripping in Mice.**  
J Invest Dermatol. 2017;137:1578-1582.
36. Natsume O, Kabashima S, Nakazato J, Yamamoto-Hanada K, Narita M, Kondo M, Saito M, Kishino A, Takimoto T, Inoue E, Tang J, Kido H, Wong GW, Matsumoto K, Saito H, Ohya Y; PETIT Study Team.  
**Two-step egg introduction for prevention of egg allergy in high-risk infants with eczema (PETIT): a randomised, double-blind, placebo-controlled trial.**  
Lancet. 2017;389:276-286.
37. Takeda K, Nakayama M, Hayakawa Y, Kojima Y, Ikeda H, Imai N, Ogasawara K, Okumura K, Thomas DM, Smyth MJ.  
**IFN- $\gamma$  is required for cytotoxic T cell-dependent cancer genome immunoediting.**  
Nat Commun. 2017;8:14607.
38. Fujiu K, Shibata M, Nakayama Y, Ogata F, Matsumoto S, Noshita K, Iwami S, Nakae S, Komuro I, Nagai R, Manabe I.  
**A heart-brain-kidney network controls adaptation to cardiac stress through tissue macrophage activation.**  
Nat Med. 2017;23:611-622.
39. Ihara T, Mitsui T, Kira S, Miyamoto T, Sawada N, Nakagomi H, Yoshiyama M, Takeda M, Nakamura Y, Nakao A, Shinozaki Y, Koizumi S  
**The Clock mutant mouse is a novel experimental model for nocturia and nocturnal polyuria.**  
Neurourol Urodyn. 2017;36:1034-1038.

40. Ihara T, Mitsui T, Nakamura Y, Kira S, Nakagomi H, Sawada N, Hirayama Y, Shibata K, Shigetomi E, Shinozaki Y, Yoshiyama M, Andersson KE, Nakao A, Takeda M, Koizumi S  
**Clock Genes Regulate the Circadian Expression of Piezo1, TRPV4, Connexin26, and VNUT in an Ex Vivo Mouse Bladder Mucosa.**  
PLoS One, 2017;12:e0168234.
41. Kametani Y, Katano I, Miyamoto A, Kikuchi Y, Ito R, Muguruma Y, Tsuda B, Habu S, Tokuda Y, Ando K, Ito M.  
**NOG-hIL-4-Tg, a new humanized mouse model for producing tumor antigen-specific IgG antibody by peptide vaccination.**  
PLoS One. 2017;12:e0179239.
42. Motomura K, Okada N, Morita H, Hara M, Tamari M, Orimo K, Matsuda G, Imadome KI, Matsuda A, Nagamatsu T, Fujieda M, Sago H, Saito H, Matsumoto K.  
**A Rho-associated coiled-coil containing kinases (ROCK) inhibitor, Y-27632, enhances adhesion, viability and differentiation of human term placenta-derived trophoblasts in vitro.**  
PLoS One. 2017;12:e0177994.
43. Ogasawara T, Hatano M, Satake H, Ikari J, Taniguchi T, Tsuruoka N, Watanabe-Takano H, Fujimura L, Sakamoto A, Hirata H, Sugiyama K, Fukushima Y, Nakae S, Matsumoto K, Saito H, Fukuda T, Kurasawa K, Tatsumi K, Tokuhisa T, Arima M.  
**Development of chronic allergic responses by dampening Bcl6-mediated suppressor activity in memory T helper 2 cells.**  
Proc Natl Acad Sci USA. 2017;114:E741-E750.
44. Izawa K, Maehara A, Isobe M, Yasuda Y, Urai M, Hoshino Y, Ueno K, Matsukawa T, Takahashi M, Kaitani A, Shiba E, Takamori A, Uchida S, Uchida K, Maeda K, Nakano N, Yamanishi Y, Oki T, Voehringer D, Roers A, Nakae S, Ishikawa J, Kinjo Y, Shimizu T, Ogawa H, Okumura K, Kitamura T, Kitaura J.  
**Disrupting ceramide-CD300f interaction prevents septic peritonitis by stimulating neutrophil recruitment.**  
Sci Rep. 2017;7:4298.

45. Nakamura Y, Ishimaru K, Shibata S, Nakao A  
**Regulation of plasma histamine levels by the mast cell clock and its modulation by stress.**  
Sci Rep. 2017;7:39934.
46. Ren Y, Sekine-Kondo E, Shibata R, Kato-Itoh M, Umino A, Yanagida A, Satoh M, Inoue K, Yamaguchi T, Mochida K, Nakae S, Van Kaer L, Iwabuchi K, Nakauchi H, Watarai H.  
**A Novel Mouse Model of iNKT Cell-deficiency Generated by CRISPR/Cas9 Reveals a Pathogenic Role of iNKT Cells in Metabolic Disease.**  
Sci Rep. 2017;7:12765.
47. Wada M, Orihara K, Kamagata M, Hama K, Sasaki H, Haraguchi A, Miyakawa H, Nakao A, Shibata S  
**Circadian clock-dependent increase in salivary IgA secretion modulated by sympathetic receptor activation in mice.**  
Sci Rep. 2017;7:8802.
48. Yamamoto-Hanada K, Yang L, Ishitsuka K, Ayabe T, Mezawa H, Konishi M, Shoda T, Matsumoto K, Saito H, Ohya Y; Japan Environment and Children's Study Group.  
**Allergic profiles of mothers and fathers in the Japan Environment and Children's Study (JECS): a nationwide birth cohort study.**  
World Allergy Organ J. 2017;10:24.