

スポーツロジセンター 研究業績 (2017 年)

1. Hara Y, Motoi Y, Hikishima K, Mizum H, Onoe H, Matsumoto SE, Elahi M, Okano H, Aoki S, Hattori N
Involvement of the septo-hippocampal cholinergic pathway in association with septal acetylcholinesterase upregulation in a mouse model of tauopathy.
Curr Alzheimer Res. 2017;14(1):94-103
2. Nakayama S, Suda A, Nakanishi A, Motoi Y, Hattori N
Galantamine Response Associates with Agitation and the Prefrontal Cortex in Patients with Alzheimer's Disease
J Alzheimers Dis. 2017;57(1):267-273
3. Matsushima T, Conedera S, Tanaka R, Li Y, Yoshino H, Funayama M, Ikeda A, Hosaka Y, Okuzumi A, Shimada Y, Yamashiro K, Motoi Y, Nishioka K, Hattori N.
Genotype-phenotype correlations of cysteine replacement in CADASIL. Neurobiol Aging
Neurobiol Aging. 2017 Feb;50:169.e7-169.e14.
4. Yamamoto H, Arimura S, Nakanishi A, Shimo Y, Motoi Y, Ishiguro K, Murakami K, Hattori N, Aoki S
Age-related effects and gender differences in Japanese Healthy controls for [123I]FP-CIT SPECT.
Ann Nucl Med. 2017 Jun;31(5):407-412.
5. Osada T., Suzuki R., Ogawa A., Tanaka M., Hori M., Aoki S., Tamura Y., Watada H., Kawamori R., and Konishi S.
Functional subdivisions of the hypothalamus using areal parcellation and their signal changes related to glucose metabolism
Neuroimage. 2017 Nov 15;162:1-12.
6. Chen W., Qian L., Watada H., Li P., Iwamoto N., Imori M., Yang WY.
Impact of diet on the efficacy of insulin lispro mix 25 and insulin lispro mix 50 as starter insulin in East Asian patients with type 2 diabetes: Subgroup analysis of the Comparison Between Low Mixed Insulin and Mid Mixed Insulin as Starter Insulin For Patients with Type 2 Diabetes Mellitus (CLASSIFY Study) randomized trial.
J Diabetes Investig. 2017 Jan;8(1):75-83.

7. Eshima H., Tamura Y., Kakehi S., Kurebayashi N., Murayama T., Nakamura K., Kakigi R., Okada T., Sakurai T., Kawamori R., Watada H.
Long-term, but not short-term high-fat diet induces fiber composition changes and impaired contractile force in mouse fast-twitch skeletal muscle.
Physiol Rep. 2017 Apr;5(7). pii: e13250.
8. Fukunaka A., Fukada T., Bhin J., Suzuki L., Tsuzuki T., Takamine Y., Bin B. H., Yoshihara T., Ichinoseki-Sekine N., Naito H., Miyatsuka T., Takamiya S., Sasaki T., Inagaki T., Kitamura T., Kajimura S., Watada H., Fujitani Y.
Zinc transporter ZIP13 suppresses beige adipocyte biogenesis and energy expenditure by regulating C/EBP- β expression.
PLoS Genet. 2017 Aug 30;13(8):e1006950.
9. Funayama T., Tamura Y., Takeno K., Kawaguchi M., Kakehi S., Watanabe T., Furukawa Y., Kaga H., Yamamoto R., Kanazawa A., Fujitani Y., Kawamori R., Watada H.
Effects of alcohol abstinence on glucose metabolism in Japanese men with elevated fasting glucose: A pilot study.
Sci Rep. 2017 Jan 9;7:40277.
10. Furukawa Y., Tamura Y., Takeno K., Funayama T., Kaga H., Suzuki R., Watanabe T., Kakehi S., Kanazawa A., Kawamori R., Watada H.
Impaired peripheral insulin sensitivity in non-obese Japanese patients with type 2 diabetes mellitus and fatty liver.
J Diabetes Investig. 2017 Aug 24. [Epub ahead of print]
11. Hamamura M., Mita T., Osonoi Y., Osonoi T., Saito M., Tamasawa A., Nakayama S., Someya Y., Ishida H., Goshō M., Kanazawa A., Watada H.
Relationships Among Conventional Cardiovascular Risk Factors and Lifestyle Habits With Arterial Stiffness in Type 2 Diabetic Patients.
J Clin Med Res. 2017 Apr;9(4):297-302.
12. Honda A., Uchida T., Komiya K., Goto H., Takeno K., Sato J., Suzuki R., Himuro M., Watada H.
RELATIONSHIP BETWEEN THE EFFECTIVENESS OF INORGANIC IODINE AND THE SEVERITY OF GRAVES' THYROTOXICOSIS: A RETROSPECTIVE STUDY.
Endocr Pract. 2017 Dec;23(12):1408-1413.
13. Ishii H., Niiya T., Ono Y., Inaba N., Jinnouchi H., Watada H.
Improvement of quality of life through glycemic control by liraglutide, a GLP-1 analog, in

insulin-naive patients with type 2 diabetes mellitus: the PAGE1 study.

Diabetol Metab Syndr. 2017 Jan 7;9:3.

14. Ji L., Bonnet F., Charbonnel B., Gomes M. B., Kosiborod M., Khunti K., Nicolucci A., Pocock S., Rathmann W., Shestakova M. V., Shimomura I., Watada H., Fenici P., Hammar N., Hashigami K., Macaraeg G., Surmont F., Medina J.

Towards an improved global understanding of treatment and outcomes in people with type 2 diabetes: Rationale and methods of the DISCOVER observational study program.

J Diabetes Complications. 2017 Jul;31(7):1188-1196.

15. Kaga H., Tamura Y., Takeno K., Kakehi S., Funayama T., Furukawa Y., Nishitani-Yokoyama M., Shimada K., Daida H., Aoki S., Giacca A., Kanazawa A., Kawamori R., Watada H.

Correlates of insulin clearance in apparently healthy non-obese Japanese men

Sci Rep. 2017 May 3;7(1):1462.

16. Katakami N., Mita T., Yoshii H., Shiraiwa T., Yasuda T., Okada Y., Umayahara Y., Kaneto H., Osonoi T., Yamamoto T., Kuribayashi N., Maeda K., Yokoyama H., Kosugi K., Ohtoshi K., Hayashi I., Sumitani S., Tsugawa M., Ohashi M., Taki H., Nakamura T., Kawashima S., Sato Y., Watada H., Shimomura I., UTOPIA study investigators

Rationale, Design, and Baseline Characteristics of the Utopia Trial for Preventing Diabetic Atherosclerosis Using an SGLT2 Inhibitor: A Prospective, Randomized, Open-Label, Parallel-Group Comparative Study.

Diabetes Ther. 2017 Oct;8(5):999-1013.

17. Kuramitsu S., Miyauchi K., Yokoi H., Suwa S., Nishizaki Y., Yokoyama T., Nojiri S., Iwabuchi M., Shirai S., Ando K., Okazaki S., Tamura H., Watada H., Daida H.

Effect of sitagliptin on plaque changes in coronary artery following acute coronary syndrome in diabetic patients: The ESPECIAL-ACS study.

J Cardiol. 2017 Jan;69(1):369-376.

18. Mita T., Katakami N., Shiraiwa T., Yoshii H., Goshō M., Ishii H., Shimomura I., Watada H., Spike Trial Site Investigators

The Influence of Sitagliptin on Treatment-Related Quality of Life in Patients with Type 2 Diabetes Mellitus Receiving Insulin Treatment: A Prespecified Sub-Analysis.

Diabetes Ther. 2017 Jun;8(3):693-704.

19. Mita T., Katakami N., Shiraiwa T., Yoshii H., Goshō M., Shimomura I., Watada H.

The Effect of Sitagliptin on the Regression of Carotid Intima-Media Thickening in Patients

with Type 2 Diabetes Mellitus: A Post Hoc Analysis of the Sitagliptin Preventive Study of Intima-Media Thickness Evaluation.

Int J Endocrinol, 2017; 2017: 1925305

20. Mita T., Katakami N., Shiraiwa T., Yoshii H., Goshō M., Shimomura I., Watada H.
Dose-Dependent Effect of Sitagliptin on Carotid Atherosclerosis in Patients with Type 2 Diabetes Mellitus Receiving Insulin Treatment: A Post Hoc Analysis
Diabetes Ther. 2017 Oct;8(5):1135-1146.
21. Mita T., Katakami N., Shiraiwa T., Yoshii H., Goshō M., Shimomura I., Watada H., Sitagliptin Preventive Study of Intima-media Thickness Evaluation, Trial
Changes in carotid intima-media thickening in patients with type 2 diabetes mellitus: Subanalysis of the Sitagliptin Preventive Study of Intima-Media Thickness Evaluation
J Diabetes Investig. 2017 Mar;8(2):254-255.
22. Mita T., Katakami N., Shiraiwa T., Yoshii H., Kuribayashi N., Osonoi T., Kaneto H., Kosugi K., Umayahara Y., Goshō M., Shimomura I., Watada H.
Relationship between frequency of hypoglycemic episodes and changes in carotid atherosclerosis in insulin-treated patients with type 2 diabetes mellitus.
Sci Rep. 2017 Jan 9;7:39965.
23. Mita T., Katakami N., Shiraiwa T., Yoshii H., Onuma T., Kuribayashi N., Osonoi T., Kaneto H., Kosugi K., Umayahara Y., Yamamoto T., Matsumoto K., Yokoyama H., Tsugawa M., Goshō M., Shimomura I., Watada H., Collaborators on the Sitagliptin Preventive Study of Intima-Media Thickness Evaluation (SPIKE) Trial.
Erratum. Sitagliptin Attenuates the Progression of Carotid Intima-Media Thickening in Insulin-Treated Patients With Type 2 Diabetes: The Sitagliptin Preventive Study of Intima-Media Thickness Evaluation (SPIKE). A Randomized Controlled Trial.
Diabetes Care. 2017 Jun;40(6):808.
24. Mita T., Katakami N., Yoshii H., Onuma T., Kaneto H., Osonoi T., Shiraiwa T., Kosugi K., Umayahara Y., Yamamoto T., Yokoyama H., Kuribayashi N., Jinnouchi H., Goshō M., Shimomura I., Watada H., Collaborators on the Study of Preventive Effects of Alogliptin on Diabetic Atherosclerosis (SPEAD-A) Trial.
Erratum. Alogliptin, a Dipeptidyl Peptidase 4 Inhibitor, Prevents the Progression of Carotid Atherosclerosis in Patients With Type 2 Diabetes: The Study of Preventive Effects of Alogliptin on Diabetic Atherosclerosis (SPEAD-A).
Diabetes Care. 2017 Jun;40(6):808.

25. Ogihara T., Mita T., Osonoi Y., Osonoi T., Saito M., Tamasawa A., Nakayama S., Someya Y., Ishida H., Gosho M., Kanazawa A., Watada H.
Relationships between lifestyle patterns and cardio-renal-metabolic parameters in patients with type 2 diabetes mellitus: A cross-sectional study.
PLoS One. 2017 Mar 8;12(3):e0173540.
26. Ohkuma T., Ninomiya T., Tomiyama H., Kario K., Hoshide S., Kita Y., Inoguchi T., Maeda Y., Kohara K., Tabara Y., Nakamura M., Ohkubo T., Watada H., Munakata M., Ohishi M., Ito N., Nakamura M., Shoji T., Vlachopoulos C., Yamashina A., Collaborative Group for, J. Bavel
Brachial-Ankle Pulse Wave Velocity and the Risk Prediction of Cardiovascular Disease: An Individual Participant Data Meta-Analysis.
Hypertension. 2017 Jun;69(6):1045-1052.
27. Ohkuma T., Tomiyama H., Ninomiya T., Kario K., Hoshide S., Kita Y., Inoguchi T., Maeda Y., Kohara K., Tabara Y., Nakamura M., Ohkubo T., Watada H., Munakata M., Ohishi M., Ito N., Nakamura M., Shoji T., Vlachopoulos C., Yamashina A.
Proposed Cutoff Value of Brachial-Ankle Pulse Wave Velocity for the Management of Hypertension.
Circ J. 2017 Sep 25;81(10):1540-1542.
28. Onose H., Uchida T., Sato J., Ishii S., Yamada E., Yamada T., Watada H.
Monocyte and Basophil Counts as Predictors of Neutrophil Count Recovery in Patients with Thiazolidine-induced Agranulocytosis.
Exp Clin Endocrinol Diabetes. 2017 Jan;125(1):49-52.
29. Saito D., Kanazawa A., Shigihara N., Sato F., Uchida T., Sato J., Goto H., Miyatsuka T., Ikeda F., Ogihara T., Ohmura C., Watada H.
Efficacy and Safety of Vildagliptin as an Add-On Therapy in Inadequately Controlled Type 2 Diabetes Patients Treated With Basal Insulin.
J Clin Med Res. 2017 Mar;9(3):193-199.
30. Sato J., Kanazawa A., Azuma K., Ikeda F., Goto H., Komiya K., Kanno R., Tamura Y., Asahara T., Takahashi T., Nomoto K., Yamashiro Y., Watada H.
Probiotic reduces bacterial translocation in type 2 diabetes mellitus: A randomised controlled study
Sci Rep. 2017 Sep 21;7(1):12115.

31. Sato J., Kanazawa A., Hatae C., Makita S., Komiya K., Shimizu T., Ikeda F., Tamura Y., Ogihara T., Mita T., Goto H., Uchida T., Miyatsuka T., Ohmura C., Watanabe T., Kobayashi K., Miura Y., Iwaoka M., Hirashima N., Watada H.
One year follow-up after a randomized controlled trial of a 130 g/day low-carbohydrate diet in patients with type 2 diabetes mellitus and poor glycemic control
PLoS One. 2017 Dec 4;12(12):e0188892.
32. Sato J., Kanazawa A., Makita S., Hatae C., Komiya K., Shimizu T., Ikeda F., Tamura Y., Ogihara T., Mita T., Goto H., Uchida T., Miyatsuka T., Takeno K., Shimada S., Ohmura C., Watanabe T., Kobayashi K., Miura Y., Iwaoka M., Hirashima N., Fujitani Y., Watada H.
A randomized controlled trial of 130 g/day low-carbohydrate diet in type 2 diabetes with poor glycemic control.
Clin Nutr. 2017 Aug;36(4):992-1000.
33. Sato J., Uchida T., Komiya K., Goto H., Takeno K., Suzuki R., Honda A., Himuro M., Watada H.
Comparison of the therapeutic effects of prednisolone and nonsteroidal anti-inflammatory drugs in patients with subacute thyroiditis.
Endocrine. 2017 Jan;55(1):209-214.
34. Satoh H., Ohira T., Moriya C., Inoue I., Kuribayashi S., Seino H., Hirai H., Hiyoshi T., Watada H., L-CGM Study Group
Effects of linagliptin vs. voglibose on daily glucose excursions during continuous glucose monitoring of Japanese type 2 diabetes patients (L-CGM): A randomized, open-label, two-arm, parallel comparative trial.
Diabetes Metab. 2017 Dec;43(6):550-553.
35. Shigiyama F., Kumashiro N., Furukawa Y., Funayama T., Takeno K., Wakui N., Ikehara T., Nagai H., Taka H., Fujimura T., Uchino H., Tamura Y., Watada H., Nemoto T., Shiraga N., Sumino Y., Hirose T.
Characteristics of hepatic insulin-sensitive nonalcoholic fatty liver disease.
Hepatol Commun. 2017 Jul 29;1(7):634-647.
36. Suzuki L., Hirayama S., Fukui M., Sasaki M., Hiroi S., Ayaori M., Terai S., Tozuka M., Watada H., Miida T.
Lipoprotein-X in cholestatic patients causes xanthomas and promotes foam cell formation in human macrophages.
J Clin Lipidol. 2017 Jan - Feb;11(1):110-118.

37. Suzuki L., Kanazawa A., Uzawa H., Osonoi Y., Masuyama A., Azuma K., Takeno K., Takayanagi N., Sato J., Someya Y., Komiya K., Goto H., Mita T., Ikeda F., Ogihara T., Shimizu T., Ohmura C., Saito M., Osonoi T., Watada H.
Safety and efficacy of metformin up-titration in Japanese patients with type 2 diabetes mellitus treated with vildagliptin and low-dose metformin
Expert Opin Pharmacother. 2017 Dec;18(18):1921-1928.
38. Uchida T., Nishimoto K., Fukumura Y., Asahina M., Goto H., Kawano Y., Shimizu F., Tsujimura A., Seki T., Mukai K., Kabe Y., Suematsu M., Sanchez G. C., Yao T., Horie S., Watada H.
Disorganized Steroidogenesis in Adrenocortical Carcinoma, a Case Study.
Endocr Pathol. 2017 Mar;28(1):27-35.
39. Watada H., Su Q., Li P., Iwamoto N., Qian L., Yang W.
Comparison of insulin lispro mix 25 with insulin lispro mix 50 as an insulin starter in Asian patients with type 2 diabetes: a phase 4, open-label, randomized trial (CLASSIFY study).
Diabetes Metab Res Rev. 2017 Jan;33(1).
40. Yamamoto Y., Miyatsuka T., Sasaki S., Miyashita K., Kubo F., Shimo N., Takebe S., Watada H., Kaneto H., Matsuoka T., Shimomura I.
Preserving expression of Pdx1 improves β -cell failure in diabetic mice.
Biochem Biophys Res Commun. 2017 Jan 29;483(1):418-424.
41. Watada H., Imori M., Li P., Iwamoto N.
Insulin lispro 25/75 and insulin lispro 50/50 as starter insulin in Japanese patients with type 2 diabetes: subanalysis of the CLASSIFY randomized trial.
Endocr J. 2017 Jul 28;64(7):705-717.
42. Odawara M., Kawamori R., Tajima N., Iwamoto Y., Kageyama S., Yodo Y., Ueki F., Hotta N.
Long-term treatment study of global standard dose metformin in Japanese patients with type 2 diabetes mellitus.
Diabetol Int, 2017; 8(3): 286-295
43. Koga M., Inada S., Nakao T., Kawamori R., Kasayama S.
The Glycated Albumin (GA) to HbA1c Ratio Reflects Shorter-Term Glycemic Control than GA: Analysis of Patients with Fulminant Type 1 Diabetes
J Clin Lab Anal. 2017 Jan;31(1).

44. Nakagawa T, Hirayama S, Watanabe T, Yokomura M, Kohno M, Sato T, Bujo H, Sato A, Murata M, Miida T for JSCC Kanto Study Group.
Triglyceride concentrations should be measured after elimination of free glycerol to exclude interindividual variations due to adiposity and fasting status.
Clin Chem Lab Med. 2017 Aug 28;55(9):e191-e194.
45. Nagasaka H, Komatsu H, Inui A, Nakacho M, Morioka I, Tsukahara H, Kaji S, Hirayama S, Miida T, Kondou H, Ihara K, Yagi M, Kizaki Z, Bessho K, Kodama T, Iijima K, Saheki T, Yorifuji T, Honda A.
Circulating tricarboxylic acid cycle metabolite levels in citrin-deficient children with metabolic adaptation, with and without sodium pyruvate treatment.
Mol Genet Metab. 2017 Mar;120(3):207-212.
46. Nagao Y, Hirayama S, Kon M, Sasamoto K, Sugihara M, Hirayama A, Isshiki M, Seino U, Miyazaki O, Miida T.
Current smokers with hyperlipidemia lack elevated pre β 1-HDL concentrations.
J Clin Lipidol. 2017 Jan - Feb;11(1):242-249.
47. Shoji H, Ikeda N, Kojima C, Kitamura T, Suganuma H, Hisata K, Hirayama S, Ueno T, Miida T, Shimizu T.
Relationship between copper and lipids and atherogenic indices soon after birth in Japanese preterm infants of 32–35 weeks.
48. J Dev Orig Health Dis. 2017 Apr;8(2):256-260.
Tabe Y, Yamamoto S, Saitoh K, Sekihara K, Monma N, Ikeo K, Mogushi K, Shikami M, Ruvolo VR, Ishizawa J, Hail N Jr, Kazuno S, Igarashi M, Matsushita H, Yamanaka Y, Arai H, Nagaoka I, Miida T, Hayashizaki Y, Konopleva M, Andreeff M.
Bone marrow adipocytes facilitate fatty acid oxidation activating AMPK and a transcriptional network supporting survival of acute monocytic leukemia cells.
Cancer Res. 2017 Mar 15;77(6):1453-1464.
49. Miida T, Nishimura K, Hirayama S, Miyamoto Y, Nakamura M, Masuda D, Yamashita S, Ushiyama M, Komori T, Fujita N, Yokoyama S, Teramoto T.
Homogeneous assays for LDL-C and HDL-C are reliable in both the postprandial and fasting state.
J Atheroscler Thromb. 2017 Jun 1;24(6):583-599.
50. Sekihara K, Saitoh K, Yamamoto S, Kikkawa M, Kazuno S, Taka H, Kaga N, Arai H, Miida T,

Andreeff M, Konopleva M, Tabe Y.

Targeting mantle cell lymphoma metabolism and survival through simultaneous blockade of mTOR and nuclear transporter exportin-1.

Oncotarget. 2017 May 23;8(21):34552-34564.

51. Sasamoto K, Hirayama S, Kon M, Seino U, Ueno T, Nagao Y, Hirayama A, Isshiki M, Idei M, Yano K, Miida T.

Changes in apolipoprotein E-containing high-density lipoprotein (HDL) have little impact on HDL-cholesterol measurements using homogeneous assays in normolipidemic and dyslipidemic subjects.

Clin Chim Acta. 2017 Jul;470:56-63.

52. Hirayama S, Nagasaka H, Nakagawa S, Takuwa M, Nakacho M, Yorifuji T, Kondou H, Tsukahara H, Morioka I, Ishida A, Yamato S, Miida T.

Growth hormone activates hepatic and cerebral cholesterol metabolism in small-for-gestational age children without catch-up growth.

J Clin Lipidol. 2017 Jul - Aug;11(4):1032-1042.

53. Ai T, Yuri M, Tabe Y, Kakimoto A, Morishita S, Tsuchiya K, Takamochi K, Kodama Y, Takahashi F, Shigeki M, Horii T, Suzuki K, Takahashi K, Miida T, Ohsaka A.

Comparison of the analytical performance between cobas EGFR assay and PCR-clamp method in the detection of EGFR mutations in Japanese non-small cell lung cancer patients.

Clin Lab. 2017 May 1;63(5):1021-1026.

54. Pang J, Hu M, Lin J, Miida T, Nawawi HM, Park JE, Wu X, Ramli AS, Kim NT, Kwok S, Gonzalez-Santos LE, Su TC, Truong TH, Soran H, Yamashita S, Tomlinson B, Watts GF.

An enquiry based on a standardised questionnaire into knowledge, awareness and preferences concerning the care of familial hypercholesterolaemia among primary care physicians in the Asia-Pacific region: the "Ten Countries Study."

BMJ Open. 2017 Oct 25;7(10):e017817.

55. Sasaki Y, Hidaka T, Ueno T, Akiba-Takagi M, Trejo JA, Seki T, Nagai-Hosoe Y, Tanaka E, Horikoshi S, Tomino Y, Suzuki Y, Asanuma K.

Sorting Nexin 9 facilitates podocin endocytosis in the injured podocyte.

Sci Rep. 2017 Mar 7;7:43921.

56. Hosoe-Nagai Y, Hidaka T, Sonoda A, Sasaki Y, Yamamoto-Nonaka K, Seki T, Asao R, Tanaka

E, Trejo JAO, Kodama F, Takagi M, Tada N, Ueno T, Nishinakamura R, Tomino Y, Asanuma K.

Re-expression of Sall1 in podocytes protects against adriamycin-induced nephrosis.

Lab Invest. 2017 Nov;97(11):1306-1320.

57. Hashimoto T, Ako J, Nakao K, Ozaki Y, Kimura K, Ako J, Noguchi T, Yasuda S, Suwa S, Fujimoto K, Nakama Y, Morita T, Shimizu W, Saito Y, Hirohata A, Morita Y, Inoue T, Okamura A, Uematsu M, Hirata K, Tanabe K, Shibata Y, Owa M, Tsujita K, Funayama H, Kokubo N, Kozuma K, Uemura S, Tobaru T, Saku K, Oshima S, Nakai M, Nishimura K, Miyamoto Y, Ogawa H, Ishihara M; J-MINUET investigators

A low eicosapentaenoic acid/arachidonic acid ratio is associated with in-hospital fatal arrhythmic events in patients with acute myocardial infarction: a J-MINUET substudy

Heart Vessels. 2017 Nov 16 [Epub ahead of print]

58. Komatsu S, Sumiyoshi M, Miura S, Kimura Y, Shiozawa T, Hirano K, Odagiri F, Tabuchi H, Hayashi H, Sekita G, Tokano T, Nakazato K, Daida H

A proposal of clinical ECG index “vagal score” for determining the mechanism of paroxysmal atrioventricular block.

J Arrhythm. 2017 Jun;33(3):208-213.

59. Kato T, Kasai T*, Yatsu S, Murata A, Matsumoto H, Suda S, Hiki M, Shiroshita N, Kato M, Kawana F, Miyazaki S, Daida H.

Acute effects of positive airway pressure on functional mitral regurgitation in patients with systolic heart failure.

Front Physiol. 2017 Nov 23;8:921.

60. Kattel S, Kasai T*, Matsumoto H, Yatsu S, Murata A, Kato T, Suda S, Hiki M, Takagi A, Daida H.

Association between elevated blood glucose level on admission and long-term mortality in patients with acute decompensated heart failure.

J Cardiol. 2017 Apr;69(4):619-624.

61. Naito R, Miyauchi K, Konishi H, Tsuboi S, Ogita M, Dohi T, Kasai T, Tamura H, Okazaki S, Isoda K, Daida H

Clinical Outcomes in Diabetic Patients Who Underwent Percutaneous Coronary Intervention during the Plain Old Balloon Angioplasty (POBA)-, Bare Metal Stents (BMS)- and Drug-eluting Stents (DES)-eras from 1984 to 2010.

Intern Med. 2017;56(1):1-9

62. Wada H, Ogita M, Miyauchi K, Tsuboi S, Konishi H, Shitara J, Kunimoto M, Sonoda T, Iso T, Ebina H, Aoki E, Kitamura K, Tamura H, Suwa S, Daida H
Contemporary sex differences among patients with acute coronary syndrome treated by emergency percutaneous coronary intervention
 Cardiovasc Interv Ther. 2017 Oct;32(4):333-340
63. Shohei Ouchi, Tetsuro Miyazaki, Kazunori Shimada, Yurina Sugita, Megumi Shimizu, Azusa Murata, Takao Kato, Tatsuro Aikawa, Shoko Suda, Tomoyuki Shiozawa, Masaru Hiki, Shuhei Takahashi, Takatoshi Kasai, Katsumi Miyauchi, Hiroyuki Daida
Decreased Circulating Dihomo-gamma-linolenic Acid Levels are Associated with Total Mortality in Patients with Acute Cardiovascular Disease and Acute Decompensated Heart Failure
 Lipids Health Dis. 2017;16(1):150
64. Kurano M, Kano K, Dohi T, Matsumoto H, Igarashi K, Nishikawa M, Ohkawa R, Ikeda H, Miyauchi K, Daida H, Aoki J, Yatomi Y.
Different origins of lysophospholipid mediators between coronary and peripheral arteries in acute coronary syndrome.
 J Lipid Res. 2017 Feb;58(2):433-442
65. Takagi H, Morio Y, Ishiwata T, Shimada K, Kume A, Miura K, Kuwasaki E, Kato M, Seyama K, Takahashi K.
Effect of telling patients their “spirometric-lung-age” on smoking cessation in Japanese smokers.
 J Thorac Dis. 2017 Dec;9(12):5052-5060.
66. Hirotoshi Ohmura, Yoshifumi Fukushima, Atsushi Mizuno, Koichiro Niwa, Yohei Kobayashi, Toshiaki Ebina, Kazuo Kimura, Shun Ishibashi, Hiroyuki Daida, on behalf of the Research Committee on Primary Hyperlipidemia of the Ministry of Health and Welfare of Japan
Estimated Prevalence of Heterozygous Familial Hypercholesterolemia in Patients With Acute Coronary Syndrome: Multicenter Registration Study in Japan
 Int Heart J. 2017 Feb 7;58(1):88-94.
67. Hirose K, Daimon M, Miyazaki S, Chiang SJ, Morimoto-Ichikawa R, Maruyama M, Kawata T, Ohmura H, Daida H
Estrogen variation during the menstrual cycle does not influence left ventricular diastolic

function and untwisting rate in premenopausal women

Journal of Cardiology 2017 Jan;69(1):389-393

68. Kuji S, Kosuge M, Kimura K, Nakao K, Ozaki Y, Ako J, Noguchi T, Yasuda S, Suwa S, Fujimoto K, Nakama Y, Morita T, Shimizu W, Saito Y, Hirohata A, Morita Y, Inoue T, Nishimura K, Miyamoto Y, Ishihara M; J-MINUET Investigators
Impact of Acute Kidney Injury on In-Hospital Outcomes of Patients With Acute Myocardial Infarction - Results From the Japanese Registry of Acute Myocardial Infarction Diagnosed by Universal Definition (J-MINUET) Substudy.
Circ J. 2017 Apr 25;81(5):733-739.
69. Wada H, Ogita M, Miyauchi K, Shitara J, Endo H, Doi S, Naito R, Konishi H, Tsuboi S, Dohi T, Kasai T, Tamura H, Okazaki S, Isoda K, Suwa S, Daida H.
Impact of gender difference on long-term outcomes of percutaneous coronary intervention for coronary artery disease in patients under statin treatment.
Heart Vessels. 2017 Jan;32(1):16-21
70. Suwa S, Ogita M, Miyauchi K, Sonoda T, Konishi H, Tsuboi S, Wada H, Naito R, Dohi T, Kasai T, Okazaki S, Isoda K, Daida H
Impact of Lipoprotein (a) on Long-Term Outcomes in Patients with Coronary Artery Disease Treated with Statin After a First Percutaneous Coronary Intervention.
J Atheroscler Thromb. 2017 Nov 1;24(11):1125-1131
71. Yatsu S, Kasai T*, Suda S, Matsumoto H, Shiroshita N, Kato M, Kawana F, Murata A, Kato T, Hiki M, Daida H.
Impact on Clinical Outcomes of Periodic Leg Movements During Sleep in Hospitalized Patients Following Acute Decompensated Heart Failure.
Circ J. 2017 Mar 24;81(4):495-500.
72. Wada H, Dohi T*, Miyauchi K, Shitara J, Endo H, Doi S, Naito R, Konishi H, Tsuboi S, Ogita M, Kasai T, Okazaki S, Isoda K, Shimada K, Suwa S, Daida H.
Impact of serum albumin levels on long-term outcomes in patients undergoing percutaneous coronary intervention.
Heart Vessels. 2017 Sep;32(9):1085-1092.
73. Fujino M, Ishihara M, Ogawa H, Nakao K, Yasuda S, Noguchi T, Ozaki Y, Kimura K, Suwa S, Fujimoto K, Nakama Y, Morita T, Shimizu W, Saito Y, Hirohata A, Morita Y, Inoue T, Okamura A, Uematsu M, Ako J, Nakai M, Nishimura K, Miyamoto Y; J-MINUET Investigators.

Impact of symptom presentation on in-hospital outcomes in patients with acute myocardial infarction

J Cardiol. 2017 Jul;70(1):29-34.

74. Takamura K, Fujimoto S, Kondo T, Hiki M, Kawaguchi Y, Kato E, Daida H
Incremental Prognostic Value of Coronary Computed Tomography Angiography: High-Risk Plaque Characteristics in Asymptomatic Patients
J Atheroscler Thromb. 2017 Nov 1;24(11):1174-1185.
75. Wada H, Dohi T, Miyauchi K, Doi S, Naito R, Konishi H, Tsuboi S, Ogita M, Kasai T, Okazaki S, Isoda K, Suwa S, Daida H.
Independent and Combined Effects of Serum Albumin and C-Reactive Protein on Long-Term Outcomes of Patients Undergoing Percutaneous Coronary Intervention.
Circ J. 2017 Aug 25;81(9):1293-1300
76. Dai Y, Yang J, Takagi A, Konishi H, Miyazaki T, Masuda H, Shimada K, Miyauchi K, Daida H
In-hospital and long-term outcomes of congestive heart failure: Predictive value of B-type and amino-terminal pro-B-type natriuretic peptides and their ratio.
Exp Ther Med. 2017 Aug;14(2):1715-1721
77. Arao K, Yasu T, Endo Y, Funazaki T, Ota Y, Shimada K, Tokutake E, Naito N, Takase B, Wake M, Ikeda N, Horie Y, Sugimura H, Momomura S, Kawakami M;Investigators of the Anti-Arteriosclerosis and Lipid Lowering with Pitavastatin Evaluation Study in Nippon (ALPEN).
Effects of pitavastatin on walking capacity and CD34+/133+ cell number in patients with peripheral artery disease
Heart Vessels. 2017 Oct;32(10):1186-1194.
78. Shiozawa T, Shimada K, Sekita G, Hayashi H, Tabuchi H, Miura S, Fujimoto S, Kadoguchi T, Ouchi S, Aikawa T, Shahi HA, Takahashi S, Miyazaki T, Sumiyoshi M, Nakazato K, Daida H:
Left Atrial Appendage Volume and Plasma Docosahexaenoic Acid Levels Are Associated With Atrial Fibrillation Recurrence After Catheter Ablation
Cardiol Res. 2017 Jun; 8(3): 96–104.
79. Ishihara M, Nakao K, Ozaki Y, Kimura K, Ako J, Noguchi T, Fujino M, Yasuda S, Suwa S, Fujimoto K, Nakama Y, Morita T, Shimizu W, Saito Y, Hirohata A, Morita Y, Inoue T, Okamura A, Uematsu M, Hirata K, Tanabe K, Shibata Y, Owa M, Tsujita K, Funayama H, Kokubu N, Kozuma K, Tobaru T, Oshima S, Nakai M, Nishimura K, Miyamoto Y, Ogawa H; J-MINUET

Investigators

Long-term outcomes of non-ST-elevation myocardial infarction without creatine kinase elevation-The J-MINUET study

Circ J. 2017 Jun 23;81(7):958-965.

80. Takano A, Sekita G, Watanabe M, Mukaida H, Komatsu S, Tabuchi H, Hayashi H, Tokano T, Sumiyoshi M, Nakazato K, Daida H

Long-term reliability of sweet-tip type screw-in leads.

J Arrhythm. 2017 Feb;33(1):12-16.

81. Ouchi S, Shimada K, Miyazaki T, Takahashi S, Sugita Y, Shimizu M, Murata A, Kadoguchi T, Kato T, Aikawa T, Suda S, Sai E, Hiki M, Iwata H, Kasai T, Miyauchi K, Daida H

Low 1,5-anhydroglucitol levels are associated with long-term cardiac mortality in acute coronary syndrome patients with hemoglobin A1c levels less than 7.0.

Cardiovasc Diabetol. 2017 Nov 21;16(1):151

82. Shimizu M, Miyazaki T, Takagi A, Sugita Y, Yatsu S, Murata A, Kato T, Suda S, Ouchi S, Aikawa T, Hiki M, Takahashi S, Hiki M, Hayashi H, Kasai T, Shimada K, Miyauchi K, Daida H

Low circulating coenzyme Q10 during acute phase is associated with inflammation, malnutrition, and in-hospital mortality in patients admitted to the coronary care unit.

Heart Vessels. 2017 Jun;32(6):668-673.

83. Ouchi S, Miyazaki T, Shimada K, Sugita Y, Shimizu M, Murata A, Kato T, Aikawa T, Suda S, Shiozawa T, Hiki M, Takahashi S, Iwata H, Kasai T, Miyauchi K, Daida H

Low docosahexaenoic acid, dihomo-gamma-linolenic acid, and arachidonic acid levels associated with long-term mortality in patients with acute decompensated heart failure in different nutritional statuses

Nutrients. 2017 Aug 30;9(9). pii: E956.

84. Aikawa T, Miyazaki T, Shimada K, Sugita Y, Shimizu M, Ouchi S, Kadoguchi T, Yokoyama Y, Shiozawa T, Hiki M, Takahashi S, Al Shahi H, Dohi S, Amano A, Daida H

Low Serum Levels of EPA are Associated with the Size and Growth Rate of Abdominal Aortic Aneurysm.

J Atheroscler Thromb. 2017 Sep 1; 24(9): 912–920.

85. Sai E, Shimada K, Yokoyama T, Hiki M, Sato S, Hamasaki N, Maruyama M, Morimoto R, Miyazaki T, Fujimoto S, Tamura Y, Aoki S, Watada H, Kawamori R, Daida H

Myocardial triglyceride content in patients with left ventricular hypertrophy: Comparison

between hypertensive heart disease and hypertrophic cardiomyopathy.

Heart Vessels. 2017 Feb;32(2):166-174.

86. Ri K, Kumamaru KK, Fujimoto S, Kawaguchi Y, Dohi T, Yamada S, Takamura K, Kogure Y, Yamada N, Kato E, Irie R, Takamura T, Suzuki M, Horii M, Aoki S, Daida H.

Noninvasive Computed Tomography-Derived Fractional Flow Reserve Based on Structural and Fluid Analysis: Reproducibility of On-site Determination by Unexperienced Observers.

J Comput Assist Tomogr. 2017 Sep 20

87. Ko BS, Cameron JD, Munnur RK, Wong DT, Fujisawa Y, Sakaguchi T, Hirohata K, Hislop-Jambrich J, Fujimoto S, Takamura K, Crossett M, Leung M, Kuganesan A, Malaiapan Y, Nasis A, Troupis J, Meredith IT, Seneviratne SK

Noninvasive CT-Derived FFR Based on Structural and Fluid Analysis: A Comparison With Invasive FFR for Detection of Functionally Significant Stenosis

JACC Cardiovasc Imaging, 2017;10:663-673

88. Ogita M, Suwa S, Ebina H, Nakao K, Ozaki Y, Kimura K, Ako J, Noguchi T, Yasuda S, Fujimoto K, Nakama Y, Morita T, Shimizu W, Saito Y, Hirohata A, Morita Y, Inoue T, Okamura A, Uematsu M, Hirata K, Tanabe K, Shibata Y, Owa M, Hokimoto S, Funayama H, Kokubo N, Kozuma K, Uemura S, Tobaru T, Saku K, Oshima S, Nishimura K, Miyamoto Y, Ishihara M; J-MINUET investigators

Off-hours presentation does not affect in-hospital mortality of Japanese patients with acute myocardial infarction: J-MINUET substudy

J Cardiol. 2017 Dec;70(6):553-558.

89. Wada H, Dohi T, Miyauchi K, Shitara J, Endo H, Doi S, Konishi H, Naito R, Tsuboi S, Ogita M, Kasai T, Hassan A, Okazaki S, Isoda K, Suwa S, Daida H

Pre-procedural neutrophil-to-lymphocyte ratio and long-term cardiac outcomes after percutaneous coronary intervention for stable coronary artery disease.

Atherosclerosis. 2017 Oct;265:35-40

90. Hassan A, Dohi T, Miyauchi K, Ogita M, Kurano M, Ohkawa R, Nakamura K, Tamura H, Isoda K, Okazaki S, Yatomi Y, Daida H.

Prognostic impact of homocysteine levels and homocysteine thiolactonase activity on long-term clinical outcomes in patients undergoing percutaneous coronary intervention.

J Cardiol. 2017 Jun;69(6):830-835

91. Wada H, Dohi T, Miyauchi K, Doi S, Konishi H, Naito R, Tsuboi S, Ogita M, Kasai T, Okazaki S, Isoda K, Suwa S, Daida H.
Prognostic impact of nutritional status assessed by the Controlling Nutritional Status score in patients with stable coronary artery disease undergoing percutaneous coronary intervention.
Clin Res Cardiol. 2017 Nov;106(11):875-883.
92. Wada H, Dohi T, Miyauchi K, Doi S, Naito R, Konishi H, Tsuboi S, Ogita M, Kasai T, Hassan A, Okazaki S, Isoda K, Suwa S, Daida H
Prognostic Impact of the Geriatric Nutritional Risk Index on Long-Term Outcomes in Patients Who Underwent Percutaneous Coronary Intervention
Am J Cardiol. 2017 Jun 1;119(11):1740-1745
93. Naito R, Miyauchi K, Daida H.
Racial Differences in the Cholesterol-Lowering Effect of Statin.
J Atheroscler Thromb. 2017 Jan 1;24(1):19-25
94. Hata J, Nagai A, Hirata M, Kamatani Y, Tamakoshi A, Yamagata Z, Muto K, Matsuda K, Kubo M, Nakamura Y; Biobank Japan Cooperative Hospital Group.
Risk prediction models for mortality in patients with cardiovascular disease: The BioBank Japan project.
J Epidemiol. 2017 Mar;27(3S):S71-S76.
95. Okai I, Iwata H, Osborn EA, Fukuda K, Shiozaki M, Kimura Y, Chikata Y, Inoue K, Fujiwara Y, Jaffer FA, Daida H, Sumiyoshi M
Sequential Acute Coronary Syndrome 4 Days Apart: A Missed Opportunity?
Circ J. 2017 Jul 25;81(8):1231-1233
96. Masaru Hiki, Tetsuro Miyazaki, Kazunori Shimada, Yurina Sugita, Megumi Shimizu, Tatsuro Aikawa, Shohei Ouchi, Tomoyuki Shiozawa, Kiyoshi Takasu, shuhei Takahashi, Atsutoshi Takagi, Katsumi Miyauchi, Hiroyuki Daida
Significance of Serum Polyunsaturated Fatty Acid Level Imbalance in Patients with Acute Venous Thromboembolism
J Atheroscler Thromb. 2017 Oct 1;24(10):1016-1022.
97. Takasu K, Miyazaki T, Negoro K, Yatsu S, Shimizu M, Murata A, Kato T, Suda S, Hiki M, Kasai T, Miyauchi K, Daida H
Successful Treatment of Congestive Heart Failure Due to Severe Aortic Valve Stenosis With

Low Dose Tolvaptan in Elderly Patients.

Int Heart J. 2017 May 31;58(3):378-384

98. Takahashi M, Ando J, Shimada K, Nishizaki Y, Tani S, Ogawa T, Yamamoto M, Nagao K, Hirayama A, Yoshimura M, Daida H, Nagai R, Komuro I
The ratio of serum n-3 to n-6 polyunsaturated fatty acids is associated with diabetes mellitus in patients with prior myocardial infarction: a multicenter cross-sectional study.
BMC Cardiovasc Disord. 2017 Jan 26;17(1):41.
99. Shiomi H, Morimoto T, Kitaguchi S, Nakagawa Y, Ishii K, Haruna Y, Takamisawa I, Motooka M, Nakao K, Matsuda S, Mimoto S, Aoyama Y, Takeda T, Murata K, Akao M, Inada T, Eizawa H, Hyakuna E, Awano K, Shirotani M, Furukawa Y, Kadota K, Miyauchi K, Tanaka M, Noguchi Y, Nakamura S, Yasuda S, Miyazaki S, Daida H, Kimura K, Ikari Y, Hirayama H, Sumiyoshi T, Kimura T; ReACT Investigators.
The ReACT Trial: Randomized Evaluation of Routine Follow-up Coronary Angiography After Percutaneous Coronary Intervention Trial.
JACC Cardiovasc Interv. 2017 Jan 23;10(2):109-117
100. Takahashi N, Isoda K, Hiki M, Fujimoto S, Daida H
Thrombolytic Therapy and Aspiration of Clots were Effective in the Removal of a Transient Inferior Vena Cava (IVC) Filter that Captured a Large Thrombus.
Intern Med. 2017;56(11):1369-1373.
101. Shiozaki M, Inoue K, Suwa S, Chien-Chang Lee, Chikata Y, Ishiura J, Kimura Y, Fukuda K, Tamura H, Fujiwara Y, Sumiyoshi M, Daida H
Utility of the 0-hour/1-hour high-sensitivity cardiac troponin T algorithm in Asian patients with suspected non-ST elevation myocardial infarction
Int J Cardiol. 2017 Dec 15;249:32-35.
102. Akita K, Isoda K, Sato-Okabayashi Y, Kadoguchi T, Kitamura K, Ohtomo F, Shimada K, Daida D.
An interleukin-6 receptor antibody suppresses atherosclerosis in atherogenic mice.
Front Cardiovasc Med. 2017 Dec 22;4:84.
103. Ueno Y, Tanaka R, Yamashiro K, Miyamoto N, Hira K, Kurita N, Sakurai M, Urabe T, Shimada K, Miyazaki T, Daida H, Hattori H
Age Stratification and Impact of Eicosapentaenoic Acid and Docosahexaenoic Acid to Arachidonic Acid Ratios in Ischemic Stroke Patients.

J Atheroscler Thromb. 2017 Dec 2. [Epub ahead of print]

104.Hiki M, Miyazaki M, Shimada K, Sugita Y, Shimizu M, Aikawa T, Ouchi S, Shiozawa T, Takasu K, Takahashi S, Takagi A, Miyauchi K, Daida H

Significance of serum polyunsaturated fatty acid level imbalance in patients with acute venous thromboembolism.

J Atheroscler Thromb. 2017 Oct 1;24(10):1016-1022.

105.Fuku N, Díaz-Peña R, Arai Y, Abe Y, Zempo H, Naito H, Murakami H, Miyachi M, Spuch C, Serra-Rexach JA, Emanuele E, Nobuyoshi H, Lucia A.

Epistasis, physical capacity-related genes and exceptional longevity: FNDC5 gene interactions with candidate genes FOXO3 and APOE

BMC Genomics. 2017 Nov 14;18(Suppl 8):803.

106.Koltai E, Bori Z, Chabert C, Dubouchaud H, Naito H, Machida S, Davies KJ, Murlasits Z, Fry AC, Boldogh I, Radak Z.

SIRT1 may play a crucial role in overload-induced hypertrophy of skeletal muscle.

J Physiol. 2017 Jun 1;595(11):3361-3376.

107.Ozaki H, Kitada T, Nakagata T, Naito H.

Combination of body mass-based resistance training and high-intensity walking can improve both muscle size and VO₂ peak in untrained older women.

Geriatr Gerontol Int. 2017 May 17(5): 779-784.

108.Tsuzuki T, Kobayashi H, Yoshihara T, Kakigi R, Ichinoseki-Sekine N, Naito H.

Attenuation of exercise-induced heat shock protein 72 expression blunts improvements in whole-body insulin resistance in rats with type 2 diabetes.

Cell Stress Chaperones. 2017 Mar;22(2):263-269.

109.Yoshihara T, Yamamoto Y, Shibaguchi T, Miyaji N, Kakigi R, Naito H, Goto K, Ohmori D, Yoshioka T, Sugiura T.

Dietary astaxanthin supplementation attenuates disuse-induced muscle atrophy and myonuclear apoptosis in the rat soleus muscle.

J Physiol Sci. 2017 Jan;67(1):181-190.

110.Akin S, Naito H, Ogura Y, Ichinoseki-Sekine N, Kurosaka M, Kakigi R, Demirel HA.

Short-term treadmill exercise in a cold environment does not induce adrenal Hsp72 and Hsp25 expression.

J Physiol Sci. 2017 May;67(3):407-413.

111. Kamagata K, Nakatsuka T, Sakakibara R, Tsuyusaki Y, Takamura T, Sato K, Suzuki M, Hori M, Kumamaru KK, Inaoka T, Aoki S, Terada H.

Diagnostic imaging of dementia with Lewy bodies by susceptibility-weighted imaging of nigrosomes versus striatal dopamine transporter single-photon emission computed tomography: a retrospective observational study.

Neuroradiology. 2017 Jan;59(1):89-98.

112. Irie R, Tsuruta K, Hori M, Suzuki M, Kamagata K, Nakanishi A, Kamiya K, Nakajima M, Miyajima M, Arai H, Aoki S.

Neurite orientation dispersion and density imaging for evaluation of corticospinal tract in idiopathic normal pressure hydrocephalus.

Jpn J Radiol. 2017 Jan;35(1):25-30.

113. Hagiwara A, Hori M, Yokoyama K, Takemura MY, Andica C, Tabata T, Kamagata K, Suzuki M, Kumamaru KK, Nakazawa M, Takano N, Kawasaki H, Hamasaki N, Kunimatsu A, Aoki S.

Synthetic MRI in the detection of multiple sclerosis plaques.

AJNR Am J Neuroradiol. 2017 Feb;38(2):257-263.

114. Hagiwara A, Hori M, Yokoyama K, Takemura MY, Andica C, Kumamaru KK, Nakazawa M, Takano N, Kawasaki H, Sato S, Hamasaki N, Kunimatsu A, Aoki S.

Utility of a multi-parametric quantitative MRI model that assesses myelin and edema for evaluating plaques, periplaque white matter, and normal-appearing white matter in patients with multiple sclerosis: a feasibility study.

AJNR Am J Neuroradiol. 2017 Feb;38(2):237-242.

115. Takano N, Suzuki M, Irie R, Yamamoto M, Hamasaki N, Kamagata K, Kumamaru KK, Hori M, Oishi H, Aoki S.

Usefulness of Non-Contrast-Enhanced MR Angiography Using a Silent Scan for Follow-Up after Y-Configuration Stent-Assisted Coil Embolization for Basilar Tip Aneurysms.

AJNR Am J Neuroradiol. 2017 Mar;38(3):577-581.

116. Andica C, Hagiwara A, Nakazawa M, Kumamaru KK, Hori M, Ikeno M, Shimizu T, Aoki S.

Synthetic MR Imaging in the Diagnosis of Bacterial Meningitis.

Magn Reson Med Sci. 2017 Apr 10;16(2):91-92.

117. Sato K, Kerever A, Kamagata K, Tsuruta K, Irie R, Tagawa K, Okazawa H, Arikawa-Hirasawa E,

Nitta N, Aoki I, Aoki S.

Understanding microstructure of the brain by comparison of neurite orientation dispersion and density imaging (NODDI) with transparent mouse brain.

Acta Radiol Open. 2017 Apr 17;6(4):2058460117703816.

118.Takano N, Suzuki M, Irie R, Yamamoto M, Teranishi K, Yatomi K, Hamasaki N, Kumamaru KK, Hori M, Oishi H, Aoki S.

Non-Contrast-Enhanced Silent Scan MR Angiography of Intracranial Anterior Circulation Aneurysms Treated with a Low-Profile Visualized Intraluminal Support Device.

AJNR Am J Neuroradiol. 2017 Aug;38(8):1610-1616.

119.Hagiwara A, Warntjes M, Hori M, Andica C, Nakazawa M, Kumamaru KK, Abe O, Aoki S.

SyMRI of the Brain: Rapid Quantification of Relaxation Rates and Proton Density, with Synthetic MRI, Automatic Brain Segmentation, and Myelin Measurement.

Invest Radiol. 2017 Oct;52(10):647-657.

120.Hatano T, Okuzumi A, Kamagata K, Daida K, Taniguchi D, Hori M, Yoshino H, Aoki S, Hattori N.

Neuromelanin MRI is useful for monitoring motor complications in Parkinson's and PARK2 disease.

J Neural Transm (Vienna). 2017 Apr;124(4):407-415.

121.Hori M, Irie R,Suzuki M, Aoki S.

Teaching Neuroimages: Obscured cerebral infarction on MRI.

Clin Neuroradiol. 2017 Dec;27(4):519-520.

122.Saito J, Hori M, Nemoto T, Katagiri N, Shimoji K, Ito S, Tsujino N, Yamaguchi T, Shiraga N, Aoki S, Mizuno M.

Longitudinal study examining abnormal white matter integrity using a tract-specific analysis in individuals with a high risk for psychosis.

Psychiatry Clin Neurosci. 2017 Aug;71(8):530-541.

123.Kamiya K, Hori M, Irie R, Miyajima M, Nakajima M, Kamagata K, Tsuruta K, Saito A, Nakazawa M, Suzuki Y, Mori H, Kunimatsu A, Arai H, Aoki S, Abe O.

Diffusion imaging of reversible and irreversible microstructural changes within the corticospinal tract in idiopathic normal pressure hydrocephalus.

Neuroimage Clinical. 2017 Mar 11;14:663-671.

- 124.Hagiwara A, Hori M, Yokoyama K, Nakazawa M, Ueda R, Horita M, Andica C, Abe O, Aoki S.
Analysis of White Matter Damage in Patients with Multiple Sclerosis via a Novel In Vivo Magnetic Resonance Method for Measuring Myelin, Axons, and G-ratio.
AJNR Am J Neuroradiol. 2017 Oct;38(10):1934-1940.
- 125.Hagiwara A, Andica C, Hori M, Aoki S.
SyMRI showed increased myelin partial volume in the white matter of a patient with Sturge-Weber syndrome.
Neuroradiology. 2017 Nov;59(11):1065-1066.
- 126.Kumamaru KK, Murayama S, Yamashita Y, Nojo T, Watanabe Y, Goto M, Maeda, M, Echigo J, Soga S, Fujii S, Tanami Y, Okabe T, Okada M, Munechika J, Ota H, Miyake M, Honda H, Aoki S.
Appropriate Imaging Utilization in Japan: A Survey of Accredited Radiology Training Hospitals.
Jpn J Radiol 2017 Nov;35(11):648-654.
- 127.Kamagata K, Zalesky A, Hatano T, Di Biase MA, El Samad O, Saiki S, Shimoji K, Kumamaru KK, Kamiya K, Hori M, Hattori N, Aoki S, Pantelis C.
Connectome analysis with diffusion MRI in idiopathic Parkinson's disease: Evaluation using multi-shell, multi-tissue, constrained spherical deconvolution.
Neuroimage Clin. 2017 Nov 10;17:518-529.
- 128.Goto M, Abe O, Miyati T, Aoki S, Gomi T, Takeda T.
Mis-segmentation in voxel-based morphometry due to a signal intensity change in the putamen.
Radiol Phys Technol. 2017 Dec;10(4):515-524.
- 129.Andica C, Hori M, Kamiya K, Koshino S, Hagiwara A, Kamagata K, Fukunaga I, Hamasaki N, Suzuki M, Feiweier T, Murata K, Arakawa, A, Kondo A, Akiyama O, Aoki S.
Spatial Restriction within Intracranial Epidermoid Cysts Observed Using Short Diffusion-time Diffusion-weighted Imaging.
Magn Reson Med Sci. 2017 Nov 13. [Epub ahead of print]
- 130.Andica C, Hagiwara A, Hori M, Nakazawa M, Goto M, Koshino S, Kamagata K, Kumamaru KK, Aoki S.
Automated Brain Tissue and Myelin Volumetry Based on Quantitative MR Imaging with Various In-plane Resolutions.

131. Wallaert L, Hagiwara A, Andica C, Hori M, Yamashiro Y, Koshino S, Maekawa T, Kamagata K, Aoki S.
The Advantage of Synthetic MRI for the Visualization of Anterior Temporal Pole Lesions by Double Inversion recovery (DIR), Phase-Sensitive Inversion Recovery (PSIR), and Myelin Images in a Patient with CADASIL.
MRMS Magn Reson Med Sci 2017 Dec 12. [Epub ahead of print]
132. Kamagata K, Zalesky A, Hatano T, Ueda R, Di Biase MA, Okuzumi A, Shimoji K, Hori M, Caeyenberghs K, Pantelis C, Hattori N, Aoki S.
Gray Matter Abnormalities in Idiopathic Parkinson's Disease: Evaluation by Diffusional Kurtosis Imaging and Neurite Orientation Dispersion and Density Imaging.
Hum Brain Mapp. 2017 May 4. [Epub ahead of print]
133. Sadatsuki R, Kaneko H, Futami I, Kinoshita M, Nonaka R, Culley KL, Otero M, Hada S, Goldring MB, Yamada Y, Kaneko K, Arikawa-Hirasawa E, Ishijima M
Perlecan is required for the chondrogenic differentiation of synovial mesenchymal cells through regulation of Sox9 gene expression
J Orthop Res. 2017 Apr;35(4):837-846.
134. Sugawara Y, Ishijima M, Kurosawa H, Shimura Y, Kaneko H, Liu L, Futami I, Iwase Y, Kaneko K
Preoperative timed single leg standing time is associated with the postoperative activity of daily living in aged disabled patients with end-stage knee osteoarthritis at six-months after undergoing total knee arthroplasty.
Mod Rheumatol. 2017 Mar;27(2):326-331.
135. Liu L, Ishijima M, Kaneko H, Sadatsuki R, Hada S, Kinoshita M, Aoki T, Futami I, Yusup A, Takazawa Y, Ikeda H, Kaneko K
The MRI-detected osteophyte score is a predictor for undergoing joint replacement in patients with end-stage knee osteoarthritis
Mod Rheumatol. 2017 Mar;27(2):332-338.
136. Shimoda M, Yoshida H, Mizuno S, Hirozane H, Horiuchi K, Yoshino Y, Hara H, Kanai Y, Inoue S, Ishijima M and Okada Y
HYBID (hyaluronan binding protein involved in hyaluronan depolymerization, KIAA1199) controls endochondral ossification through hyaluronan metabolism

Am J Pathol. 2017 May;187(5):1162-1176.

- 137.Sakamoto Y, Ishijima M, Suzuki M, Kim SG, Kamata K, Hayashi K, Kuwahara H, Sakuramoto H, Morikawa D, Tokita A, Kaneko H, Shimizu T, Nozawa M, Kaneko K
Association between leg bowing and serum alkaline phosphatase level regardless of the presence of a radiographic growth plate abnormality in pediatric patients with genu varum
J Bone Miner Metab. 2017 Jun 29[Epub ahead of print]
- 138.Hada S, Ishijima M, Kaneko H, Kinoshita M, Liu L, Sadatsuki R, Futami I, Yusup A, Takamura T, Arita H, Shiozawa J, Takazawa Y, Ikeda H, Aoki S, Kurosawa H, Okada Y, Kaneko K
Association of medial meniscal extrusion with medial tibial osteophyte distance detected by T2 mapping MRI in the patients with early-stage knee osteoarthritis
Arthritis Res Ther. 2017 Sep 12;19(1):201.
- 139.Shimura Y, Kurosawa H, Tsuchiya M, Sawa M, Kaneko H, Liu L, Makino Y, Nojiri H, Iwase Y, Kaneko K, Ishijima M
Serum interleukin 6 levels are associated with depressive state of the patients with knee osteoarthritis irrespective of disease severity
Clin Rheumatol. 2017 Dec;36(12):2781-2787.
- 140.Nishioka K, Fujimaki M, Kanai K, Ishiguro Y, Nakazato T, Tanaka R, Yokoyama K, Hattori N.
Demyelinating Peripheral Neuropathy Due to Renal Cell Carcinoma.
Intern Med. 2017;56(1):101-104.
- 141.Tsukada R, Oyama G, Shimo Y, Sekimoto S, Jo T, Nakajima A, Umemura, A, Arai H, Hattori N.
Interleaving stimulation with a combination of bipolar and monopolar configurations for secondary failure of bilateral subthalamic stimulation in Parkinson's disease
NEUROLOGY AND CLINICAL NEUROSCIENCE, January 2017; 5(1):32-33
- 142.Ikeda A, Matsushima T, Daida K, Nakajima S, Conedera S, Li Y, Yoshino H, Oyama G, Funayama M, Nishioka K, Hattori N.
A novel mutation of CHCHD2 p.R8H in a sporadic case of Parkinson's disease.
Parkinsonism Relat Disord. 2017 Jan;34:66-68.
- 143.Jurjević I, Miyajima M, Ogino I, Akiba C, Nakajima M, Kondo A, Kikkawa M, Kanai M, Hattori N, Arai H
Decreased Expression of hsa-miR-4274 in Cerebrospinal Fluid of Normal Pressure Hydrocephalus Mimics with Parkinsonian Syndromes

J Alzheimers Dis. 2017;56(1):317-325.

144. Wang L, Heckman MG, Aasly JO, Annesi G, Bozi M, Chung SJ, Clarke C, Crosiers D, Eckstein G, Garraux G, Hadjigeorgiou GM, Hattori N, Jeon B, Kim YJ, Kubo M, Lesage S, Lin JJ, Lynch T, Lichtner P, Mellick GD, Mok V, Morrison KE, Quattrone A, Satake W, Silburn PA, Stefanis L, Stockton JD, Tan EK, Toda T, Brice A, Van Broeckhoven C, Uitti RJ, Wirdefeldt K, Wszolek Z, Xiromerisiou G, Maraganore DM, Gasser T, Krüger R, Farrer MJ, Ross OA, Sharma M; GEOPD Consortium.

Evaluation of the interaction between LRRK2 and PARK16 loci in determining risk of Parkinson's disease: analysis of a large multicenter study

Neurobiol Aging. 2017 Jan;49:217.e1-217.e4.

145. Ouma, Shinji; Fukae, Jiro; Fujioka, Shinsuke; Yamamoto, Shosaburo; Hatano, Taku; Yoritaka, Asako; Okuma, Yasuyuki; Kashiwara, Ken-ichi; Hattori, Nobutaka; Tsuboi, Yoshio

The Risk Factors for the Wearing-off Phenomenon in Parkinson's Disease in Japan: A Cross-sectional, Multicenter Study

Intern Med. 2017;56(15):1961-1966

146. Daida, Kensuke; Nishioka, Kenya; Li, Yuanzhe; Nakajima, Sho; Tanaka, Ryota; Hattori, Nobutaka

CSF1R Mutation p. G589R and the Distribution Pattern of Brain Calcification

Intern Med. 2017 Sep 15;56(18):2507-2512.

147. Suzuki S, Akamatsu W, Kisa F, Sone T, Ishikawa KI, Kuzumaki N, Katayama H, Miyawaki A, Hattori N, Okano H.

Efficient induction of dopaminergic neuron differentiation from induced pluripotent stem cells reveals impaired mitophagy in PARK2 neurons

Biochem Biophys Res Commun. 2017 Jan 29;483(1):88-93.

148. Matsushima T, Conedera S, Tanaka R, Li Y, Yoshino H, Funayama M, Ikeda A, Hosaka Y, Okuzumi A, Shimada Y, Yamashiro K, Motoi Y, Nishioka K, Hattori N.

Genotype-phenotype correlations of cysteine replacement in CADASIL

Neurobiol Aging. 2017 Feb;50:169.e7-169.e14.

149. Yamashiro K, Tanaka R, Urabe T, Ueno Y, Yamashiro Y, Nomoto K, Takahashi T, Tsuji H, Asahara T, Hattori N

Gut dysbiosis is associated with metabolism and systemic inflammation in patients with ischemic stroke

PLoS One. 2017 Apr 13;12(4):e0176062.

150. Yoritaka A, Abe T, Ohtsuka C, Maeda T, Hirayama M, Watanabe H, Saiki H, Oyama G, Fukae J, Shimo Y, Hatano T, Kawajiri S, Okuma Y, Machida Y, Miwa H, Suzuki C, Kazama A, Tomiyama M, Kihara T, Hirasawa M, Shimura H, Hattori N.

Erratum to: A randomized double-blind multi-center trial of hydrogen water for Parkinson's disease: protocol and baseline characteristics.

BMC Neurol. 2017 Feb 20;17(1):35.

151. Kasemsuk C, Oyama G, Hattori N

Management of impulse control disorders with deep brain stimulation: A double-edged sword

J Neurol Sci. 2017 Mar 15;374:63-68.

152. Yamashita C, Funayama M, Li Y, Yoshino H, Yamada H, Seino Y, Tomiyama H, Hattori N.

Mutation screening of PLA2G6 in Japanese patients with early onset dystonia-parkinsonism

J Neural Transm (Vienna). 2017 Apr;124(4):431-435.

153. Maeda, Tetsuya; Shimo, Yasushi; Chiu, Shih-Wei; Yamaguchi, Takuhiro; Kashihara, Kenichi; Tsuboi, Yoshio; Nomoto, Masahiro; Hattori, Nobutaka; Watanabe, Hirohisa; Saiki, Hidemoto, J-FIRST Grp

Clinical manifestations of nonmotor symptoms in 1021 Japanese Parkinson's disease patients from 35 medical centers

Parkinsonism Relat Disord. 2017 May;38:54-60.

154. Miki Y, Yoshizawa T, Morohashi S, Seino Y, Kijima H, Shoji M, Mori A, Yamashita C, Hatano T, Hattori N, Wakabayashi K.

Neuropathology of PARK14 Is Identical to Idiopathic Parkinson's Disease

Mov Disord. 2017 May;32(5):799-800.

155. Naito H, Takahashi T, Kamada M, Morino H, Yoshino H, Hattori N, Maruyama H, Kawakami H, Matsumoto M.

First report of a Japanese family with spinocerebellar ataxia type 10: The second report from Asia after a report from China

PLoS One. 2017 May 19;12(5):e0177955.

156. Takemura MY, Hori M, Yokoyama K, Hamasaki N, Suzuki M, Kamagata K, Kamiya K, Suzuki

Y, Kyogoku S, Masutani Y, Hattori N, Aoki S.

Alterations of the optic pathway between unilateral and bilateral optic nerve damage in multiple sclerosis as revealed by the combined use of advanced diffusion kurtosis imaging and visual evoked potentials

Magn Reson Imaging. 2017 Jun;39:24-30.

157.Nishioka K, Uchida T, Usui C, Tanaka R, Matsushima T, Matsumoto Y, Nakamura I, Nishioka K, Hattori N.

High prevalence of anti-TSH receptor antibody in fibromyalgia syndrome

Int J Rheum Dis. 2017 Jun;20(6):685-690.

158.Fukuda R, Miyamoto N, Hayashida A, Ueno Y, Yamashiro K, Tanaka R, Hattori N.

Acute Hearing Loss Caused by Decreasing Anterior Inferior Cerebellar Arterial Perfusion in a Patient with Vertebral Artery Stenosis

J Stroke Cerebrovasc Dis. 2017 Jun;26(6):e119-e121.

159.Meng H, Yamashita C, Shiba-Fukushima K, Inoshita T, Funayama M, Sato S, Hatta T, Natsume T, Umitsu M, Takagi J, Imai Y, Hattori N.

Loss of Parkinson's disease-associated protein CHCHD2 affects mitochondrial crista structure and destabilizes cytochrome c

Nat Commun. 2017 Jun 7;8:15500.

160.Cossu D, Yokoyama K, Tomizawa Y, Momotani E, Hattori N.

Altered humoral immunity to mycobacterial antigens in Japanese patients affected by inflammatory demyelinating diseases of the central nervous system

Sci Rep. 2017 Jun 9;7(1):3179.

161.Fukae J, Fujioka S, Yanamoto S, Mori A, Nomi T, Hatano T, Fukuhara K, Ouma S, Hattori N, Tsuboi Y.

Serum uric acid level is linked to the disease progression rate in male patients with multiple system atrophy

Clin Neurol Neurosurg. 2017 Jul;158:15-19.

162.Hattori N, Hasegawa K, Sato K, Mitsuyama E, Numachi Y.

Clinical evaluation of ropinirole controlled-release formulation at 18-24 mg/day in Japanese patients with Parkinson's disease

Parkinsonism Relat Disord. 2017 Jul;40:33-39.

- 163.Hatano T, Daida K, Hoshino Y, Li Y, Saito H, Matsumoto N, Hattori N.
Dystonia due to bilateral caudate hemorrhage associated with a COL4A1 mutation
Parkinsonism Relat Disord. 2017 Jul;40:80-82.
- 164.Nakajima A, Oyama G, Jo T, Shimo Y, Umemura A, Nakajima M, Ishii H, Arai H, Hattori N.
Rescue pallidal stimulation for diphasic and stimulation-induced dyskinesia after successful subthalamic stimulation for Parkinson's disease
NEUROLOGY AND CLINICAL NEUROSCIENCE, 2017July ; 5(4):127-128
- 165.Sekimoto S, Oyama G, Jo T, Nakajima A, Shimo Y, Nakajima M, Umemura A, Ito M, Arai H, Hattori N.
Two odd targets strategy in deep brain stimulation for Parkinson's disease with unilateral levodopa-induced dystonia
NEUROLOGY AND CLINICAL NEUROSCIENCE, 2017July; 5(4):129-130
- 166.Hosaka Y, Inoshita T, Shiba-Fukushima K, Cui C, Arano T, Imai Y, Hattori N.
Reduced TDP-43 Expression Improves Neuronal Activities in a Drosophila Model of Perry Syndrome
EBioMedicine. 2017 Jul;21:218-227.
- 167.Inoshita T, Arano T, Hosaka Y, Meng H, Umezaki Y, Kosugi S, Morimoto T, Koike M, Chang HY, Imai Y, Hattori N.
Vps35 in cooperation with LRRK2 regulates synaptic vesicle endocytosis through the endosomal pathway in Drosophila
Hum Mol Genet. 2017 Aug 1;26(15):2933-2948.
- 168.Nishioka K, Kanai K, Hattori N.
Paraneoplastic neuromyotonia due to lung carcinoma and invisible muscle cramps evaluated using ultrasonography
J Neurooncol. 2017 Aug;134(1):243-244.
- 169.Saiki S, Hatano T, Fujimaki M, Ishikawa KI, Mori A, Oji Y, Okuzumi A, Fukuhara T, Koinuma T, Imamichi Y, Nagumo M, Furuya N, Nojiri S, Amo T, Yamashiro K, Hattori N.
Decreased long-chain acylcarnitines from insufficient beta-oxidation as potential early diagnostic markers for Parkinson's disease
Sci Rep. 2017 Aug 4;7(1):7328.
- 170.Shiba-Fukushima K, Ishikawa KI, Inoshita T, Izawa N, Takanashi M, Sato S, Onodera O,

Akamatsu W, Okano H, Imai Y, Hattori N.

Evidence that phosphorylated ubiquitin signaling is involved in the etiology of Parkinson's disease

Hum Mol Genet. 2017 Aug 15;26(16):3172-3185.

171. Uchihara Y, Kataoka H, Yoshino H, Syobatake R, Hattori N, Ueno S.

Parkin mutation may be associated with serious akinesia in a patient with Parkinson's disease

J Neurol Sci. 2017 Aug 15;379:119-121.

172. Kamakura CK, Ueno Y, Sakai Y, Yoshida H, Aiba S, Hayashi A, Shimura H, Takeda K, Kamakura K, Hattori N, Urabe T.

White matter lesions and cognitive impairment may be related to recovery from unilateral spatial neglect after stroke

J Neurol Sci. 2017 Aug 15;379:241-246.

173. Yoshino H, Hirano M, Stoessl AJ, Imamichi Y, Ikeda A, Li Y, Funayama M, Yamada I, Nakamura Y, Sossi V, Farrer MJ, Nishioka K, Hattori N.

Homozygous alpha-synuclein p.A53V in familial Parkinson's disease

Neurobiol Aging. 2017 Sep;57:248.e7-248.e12.

174. Suzuki K, Okuma Y, Uchiyama T, Miyamoto M, Sakakibara R, Shimo Y, Hattori N, Kuwabara S, Yamamoto T, Hirata K, Kanto NMPD Investigators

Headache and migraine in Parkinson's disease: a multicenter cross-sectional study

CEPHALALGIA 2017, 37:228-229

175. Mizuno Y, Hattori N, Kondo T, Nomoto M, Origasa H, Takahashi R, Yamamoto M, Yanagisawa N.

A Randomized Double-Blind Placebo-Controlled Phase III Trial of Selegiline Monotherapy for Early Parkinson Disease

Clin Neuropharmacol. 2017 Sep/Oct;40(5):201-207.

176. Straniero L, Guella I, Cilia R, Parkkinen L, Rimoldi V, Young A, Asselta R, Soldà G, Sossi V, Stoessl AJ, Priori A, Nishioka K, Hattori N, Follett J, Rajput A, Blau N, Pezzoli G, Farrer MJ, Goldwurm S, Rajput AH, Duga S.

DNAJC12 and dopa-responsive nonprogressive parkinsonism

Ann Neurol. 2017 Oct;82(4):640-646.

- 177.Jo T, Yoshimi K, Takahashi T, Oyama G, Hattori N
Dual use of rectangular and triangular waveforms in voltammetry using a carbon fiber microelectrode to differentiate norepinephrine from dopamine
Journal of Electroanalytical Chemistry, Vol.802, 1-7, 2017
- 178.Kitamura N, Seyama K, Inoue Y, Nagai K, Suzuki M, Moriyama H, Takada T, Tazawa R, Hirai T, Mishima M, Hayashida M, Hirose M, Arai T, Sugimoto C, Hattori N, Watanabe K, Tamada T, Akazawa K, Tanaka T, Nakata K.
Risk factors for stomatitis in patients with lymphangiomyomatosis during treatment with sirolimus: A multicenter investigator-initiated prospective study
Pharmacoepidemiol Drug Saf. 2017 Oct;26(10):1182-1189.
- 179.Taniguchi D, Oji Y, Ueno Y, Hirayama S, Fukui M, Miyamoto N, Yamashiro K, Tanaka R, Suzuki K, Hattori N.
Limb-Shaking Transient Ischemic Attack Induced by Middle Cerebral Artery Dissection after Lung Surgery
J Stroke Cerebrovasc Dis. 2017 Oct;26(10):e197-e198.
- 180.Yokoyama K, Cossu D, Hattori N
Comparison of humoral immunity against acid-fast bacilli lipophilic antigens in patients with Japanese MS and NMOSD
MULTIPLE SCLEROSIS JOURNAL 2017; 23:212-212
- 181.Fukuhara T, Kim J, Hokaiwado S, Nawa M, Okamoto H, Kogiso T, Watabe T, Hattori N.
A novel immunotoxin reveals a new role for CD321 in endothelial cells
PLoS One. 2017 Oct 13;12(10):e0181502.
- 182.Sato S, Li Y, Hattori N.
Lysosomal defects in ATP13A2 and GBA associated familial Parkinson's disease
J Neural Transm (Vienna). 2017 Nov;124(11):1395-1400.
- 183.Suzuki K, Okuma Y, Uchiyama T, Miyamoto M, Sakakibara R, Shimo Y, Hattori N, Kuwabara S, Yamamoto T, Kaji Y, Hirano S, Kadowaki T, Hirata K; Kanto NMPD investigators
Impact of sleep-related symptoms on clinical motor subtypes and disability in Parkinson's disease: a multicentre cross-sectional study
J Neurol Neurosurg Psychiatry. 2017 Nov;88(11):953-959.
- 184.Kanai T, Uzawa A, Sato Y, Suzuki S, Kawaguchi N, Himuro K, Oda F, Ozawa Y, Nakahara J,

Suzuki N, Takahashi YK, Ishibashi S, Yokota T, Ogawa T, Yokoyama K, Hattori N, Izaki S, Oji S, Nomura K, Kaneko J, Nishiyama K, Yoshino I, Kuwabara S.

A clinical predictive score for postoperative myasthenic crisis

Ann Neurol. 2017 Nov;82(5):841-849.

185.Suzuki K, Okuma Y, Uchiyama T, Miyamoto M, Sakakibara R, Shimo Y, Hattori N, Kuwabara S, Yamamoto T, Kaji Y, Hirano S, Numao A, Hirata K; Kanto NMPD investigators.

Characterizing restless legs syndrome and leg motor restlessness in patients with Parkinson's disease: A multicenter case-controlled study

Parkinsonism Relat Disord. 2017 Nov;44:18-22.

186.Fujimori K, Matsumoto T, Kisa F, Hattori N, Okano H, Akamatsu W.

Escape from Pluripotency via Inhibition of TGF-beta/BMP and Activation of Wnt Signaling Accelerates Differentiation and Aging in hPSC Progeny Cells

Stem Cell Reports. 2017 Nov 14;9(5):1675-1691.

187.Shimura H, Tanaka R, Shimada Y, Yamashiro K, Hattori N, Urabe T.

Glycyl-alanyl-histidine protects PC12 cells against hydrogen peroxide toxicity

BMC Biochem. 2017 Nov 22;18(1):14.

188.Nakajima A, Shimo Y, Uka T, Hattori N.

Subthalamic nucleus and globus pallidus interna influence firing of tonically active neurons in the primate striatum through different mechanisms

Eur J Neurosci. 2017 Dec;46(11):2662-2673.

189.Miyamoto N, Tanaka R, Ueno Y, Watanabe M, Kurita N, Hira K, Shimada Y, Kuroki T, Yamashiro K, Urabe T, Hattori N.

Analysis of the Usefulness of the WORSEN Score for Predicting the Deterioration of Acute Ischemic Stroke

J Stroke Cerebrovasc Dis. 2017 Dec;26(12):2834-2839.

190.Kobayashi M, Nishioka K, Takanashi M, Hattori A, Shojima Y, Hayashida A, Sumii A, Ota T, Terao Y, Yokoyama K, Hattori N.

Anti-NMDA receptor encephalitis due to large-cell neuroendocrine carcinoma of the uterus

J Neurol Sci. 2017 Dec 15;383:72-74.

191.Akaike K, Hayashi T, Hosoya M, Kaneko K, Kim Y, Kobayashi E, Kohsaka S, Kubota D, Mogushi K, Mukaihara K, Okubo T, Saito T, Sato S, Suehara Y, Tanabe Y,

Cabozantinib and dastinib exert anti-tumor activity in alveolar soft part sarcoma.D5:G5D5:H5DD5:G5

PLoS One. 2017 Sep 25;12(9)

192. Baba T, Nozawa M, Kaneko K, Homma Y, Ochi H, Ozaki Y, Watari T, Matsumoto M.
Long-term results of rotational acetabular osteotomy for osteonecrosis with collapse of the femoral head in young patients.
Arch Orthop Trauma Surg., 2017; 137(7): 925-931
193. Dilokhuttakarn T, Naito K, Kinoshita M, Sugiyama Y, Goto K, Iwase Y, Kaneko K.
Evaluation of thenar muscles by MRI in carpal tunnel syndrome.
Exp Ther Med, 2017;14(3):2025-2030
194. Futamura K, Baba T, Mogami A, Morohashi I, Kanda A, Obayashi O, Sato K, Ueda Y, Kurata Y, Tsuji H, Kaneko K:
Malreduction of syndesmosis injury associated with malleolar ankle fracture can be avoided using Weber's three indexes in the mortise view
Injury. 2017 Apr;48(4):954-959
195. Futamura K, Baba T, Mogami A, Morohashi I, Kanda A, Obayashi O, Sato K, Ueda Y, Kurata Y, Tsuji H, Kaneko K.
Malreduction of syndesmosis injury associated with malleolar ankle fracture can be avoided using Weber's three indexes in the mortise view.
Injury, 2017; 48(4): 954-959
196. Futamura K, Baba T, Nogami A, Morohashi I, Obayashi O, Iwase H, Kaneko K.
A biomechanical study of sacroiliac rod fixation for unstable pelvic ring injuries: verification of the "within ring" concept.
International Orthopaedics. 2017 Dec 15. [Epub ahead of print]
197. Hiromitsu Takano, Ikuho Yonezawa, Mitsugu Todo, Muhammad Hazli Mazlan, Tatsuya Sato, Kazuo Kaneko
Biomechanical study of vertebral compression fracture using finite element analysis
Journal of Applied Mathematics and Physics, 2017, 5, 953-965
198. Homma Y, Baba T, Ozaki Y, Watari T, Kobayashi H, Ochi H, Matsumoto M, Kaneko K.
In total hip arthroplasty via the direct anterior approach, dual-mobility cup prevents dislocation as effectively in hip fracture as in osteoarthritis.

Int Orthop., 2017; 41(3): 491-497

199. Kanazawa H, Maruyama Y, Takamiya S, Kaneko K.

Bilateral symptomatic lateral patellar synovial plica of the knee in adolescent athlete: A case report.

Open Journal of Orthopedics, 2017, 7, 63-71.

200. Kanazawa H, Maruyama Y, Shitoto K, Yokoyama M, Kaneko K:

Survival and clinical results of a modified “crosse de hockey” procedure for chronic isolated patellofemoral joint osteoarthritis: mid-term follow-up.

J Orthopaed Traumatol 18: 23-30, 2017

201. Maeda M, Iwase H, Kannda A, Morohashi I, Kaneko K, Maeda M, Kakinuma Y, Takei Y, Amemiya S, Mitui K,

A study of the blood flow restriction pressure of a tourniquet system to facilitate development of a system that can prevent musculoskeletal complications.

Am J Disaster Med. 2017 Summer; 12(3):139-145.

202. Maki N, Kawasaki T, Mochizuki T, Ota C, Yoneda T, Furudate M, Urayama S, Kaketa T, Gonda Y, Kaneko K.

Video analysis of primary shoulder dislocation due to rugby tackling.

Orthop J Sports Med 2017; 5: 2325967117712951

203. Matsumoto M, Baba T, Ochi H, Ozaki Y, Watari T, Homma Y, Kaneko K.

Influence of the contralateral hip state after total hip arthroplasty on patient-reported outcomes measured with the Forgotten Joint Score-12.

Eur J Orthop Surg Traumatol. 2017 Oct; 27(7):929-936.

204. Matsumoto M, Baba T, Ochi H, Ozaki Y, Watari T, Homma Y, Kaneko K.

Kerboull-type plate in a direct anterior approach for severe bone defects at primary total hip arthroplasty: technical note.

SICOT-J 10 Mar 2017, 3:21

205. Morohashi I, Iwase H, Kanda A, Sato T, Homma Y, Obayashi O, Kaneko K

Acoustic pattern evaluation during cementless hip arthroplasty surgery may be a new method for predicting complications.

SICOTJ. 2017; 3:13.

206. Naito K, Sugiyama Y, Dilokhuttakarn T, Kinoshita M, Goto K, Aritomi K, Iwase Y, Kaneko K.
A survey of extensor pollicis longus tendon injury at the time of distal radius fractures.
Injury 2017;48(4):925-929
207. Ochi H, Homma Y, Baba T, Ozaki Y, Watari T, Kobayashi H, Matsumoto M, Kaneko K.
Sagittal spinopelvic alignment predicts hip function after total hip arthroplasty.
Gait Posture, 2017; 52: 293-300
208. Ozaki Y, Homma Y, Baba T, Sano K, Desroches A, Kaneko K.
Spontaneous healing of lateral femoral cutaneous nerve injury and improved quality of life after total hip arthroplasty via a direct anterior approach: survey at average 12.8 and 26.2 months follow-up
J Orthop Surg., 2017; 25(1): 2309499016684750
209. Takazawa Y, Ikeda H, Saita Y, Kawasaki T, Ishijima M, Nagayama M, Kaneko H, Kaneko K
Return to Play of Rugby Players After Anterior Cruciate Ligament Reconstruction Using Hamstring Autograft: Return to Sports and Graft Failure According to Age.
Arthroscopy, 2017;33:181-189
210. Tanabe Y, Suehara Y*, Kohsaka S, Hayashi T, Akaike K, Mukaihara K, Kurihara T, Kim Y, Okubo T, Ishii M, Kazuno S, Kaneko K, Saito T.
IRE1 α -XBP1 inhibitors exerted anti-tumor activities in Ewing's sarcomas.
Oncotarget. 2017 8(70):114442-114456
211. Saita Y, Nagao M, Kawasaki T, Kobayashi Y, Kobayashi K, Nakajima H, Takazawa Y, Kaneko K, Ikeda H
Range limitation in hip internal rotation and fifth metatarsal stress fractures (Jones fracture) in professional football players
Knee Surg Sports Traumatol Arthrosc. 2017 Apr 25
212. Sato T, Yonezawa I, Todo M, Takano H, Kaneko K.
Use of Nonlinear Finite Element Analysis of Bone Density to Investigate the Biomechanical Effect in the Bone around Intervertebral Cages in Posterior Lumbar Interbody Fusion.
Journal of Biomedical Science and Engineering, 2017; 10(10):445-455
213. Shiota Y, Yamamoto N, Kawakami J, Nagamoto H, Muraki T, Kaneko K, Itoi E.
Contact pressure of the coracoacromial arch in shoulders with joint contracture: A

cadaveric study.

J Orthop Sci. 2017 Nov;22(6):1031-1041.

214.Sobue S, Kawasaki T, Hasegawa Y, Shiota Y, Ota C, Yoneda T, Tahara S, Maki N, Matsuura T, Sekiguchi M, Itoigawa Y, Tateishi T, Kaneko K.

Tackler's head position relative to the ball carrier is highly correlated with head and neck injuries in rugby.

Br J Sports Med. 2017 Nov 21.

215.Yoshida K, Itoigawa Y, Maruyama Y, Saita Y, Takazawa Y, Ikeda H, Kaneko K, Sakai T, Okuwaki T.

Application of Shear Wave Elastography for the Gastrocnemius Medial Head to Tennis Leg.

Clin Anat. 2017 Jan;30(1):114-119.

216.Yuasa T, Maezawa K, Kaneko K, Nozawa M.

Rotational acetabular osteotomy for acetabular dysplasia and osteoarthritis: a mean follow-up of 20 years.

Arch Orthop Trauma Surg 2017: 137(4); 465-469