

老人性疾患病態・治療研究センター研究業績（2017年度）

1. Kohsaka S, Nagano M, Ueno T, Suehara Y, Hayashi T, Shimada N, Takahashi K, Suzuki K, Takamochi K, Takahashi F, Mano H.
A method of high-throughput functional evaluation of EGFR gene variants of unknown significance in cancer.
Sci Transl Med. 2017 Nov 15;9(416).
2. Zhang X, Choi PS, Francis JM, Gao GF, Campbell JD, Ramachandran A, Mitsuishi Y, Ha G, Shih J, Vazquez F, Tsherniak A, Taylor AM, Zhou J, Wu Z, Berger AC, Giannakis M, Hahn WC, Cherniack AD, Meyerson M.
Somatic super-enhancer duplications and hotspot mutations lead to oncogenic activation of the KLF5 transcription factor.
Cancer Discov. 2017 Sep 29. pii: CD-17-0532.
3. Hida T, Nokihara H, Kondo M, Kim YH, Azuma K, Seto T, Takiguchi Y, Nishio M, Yoshioka H, Imamura F, Hotta K, Watanabe S, Goto K, Satouchi M, Kozuki T, Shukuya T, Nakagawa K, Mitsudomi T, Yamamoto N, Asakawa T, Asabe R, Tanaka T, Tamura T.
Alectinib versus crizotinib in patients with ALK-positive non-small-cell lung cancer (J-ALEX): an open-label, randomised phase 3 trial.
Lancet. 2017 Jul 1;390(10089):29-39.
4. Okamoto S, Togo S, Nagata I, Shimizu K, Koinuma Y, Namba Y, Ito J, Uekusa T, Takahashi K.
Lung adenocarcinoma expressing receptor for advanced glycation end-products with primary systemic AL amyloidosis: a case report and literature review.
BMC Cancer. 17(1):22. doi: 10.1186/s12885-016-3009-3, 2017 Jan 3.265
5. Namba Y, Togo S, Tulafu M, Kadoya K, Nagahama KY, Taka H, Kaga N, Orimo A, Liu XD, Takahashi K.
Combination of glycopyrronium and indacaterol inhibits carbachol-induced ERK5 signal in fibrotic processes.
Respiratory Research. 18(1):46, 2017 Mar 11
6. Ishimori A, Harada N, Chiba A, Harada S, Matsuno K, Makino F, Ito J, Ohta S, Ono J, Atsuta R, Izuhara K, Takahashi K, Miyake S.
Circulating activated innate lymphoid cells and mucosal-associated invariant T cells are associated with airflow limitation in patients with asthma.

7. Nishino K, Yoshimi K, Shibuya T, Hayashi T, Mitani K, Kobayashi E, Ichikawa M, Asao T, Suzuki Y, Sato T, Shiota S, Kodama Y, Takahashi K, Seyama K.
Protein-losing Enteropathy Caused by Intestinal or Colonic Lymphangiectasia Complicated by Sporadic Lymphangiomyomatosis: A Report of Two Cases.
Intern Med. 56(8):943-948, 2017 Apr 15.
8. Arano N, Morio Y, Futagawa T, Hashizume A, Nagashima O, Sasaki SI, Tominaga S, Takahashi K.
Lung metastases from cutaneous adenoid cystic carcinoma 23 years after initial treatment.
Respir Med Case Rep. 21:121-123, 2017 Apr 19
9. Yamada T, Amann JM, Tanimoto A, Taniguchi H, Shukuya T, Timmers C, Yano S, Shilo K, Carbone DP.
Histone deacetylase inhibition enhances the antitumor activity of a MEK inhibitor in lung cancer cells harboring RAS mutations.
Mol Cancer Ther. 2017 Oct 27. pii: molcanther.0146.2017.
10. Shukuya T, Patel S, Shane-Carson K, He K, Bertino EM, Shilo K, Otterson GA, Carbone DP.
Lung Cancer Patients with Germline Mutations Detected by Next-Generation Sequencing and/or Liquid Biopsy.
J Thorac Oncol. 2017 Oct 5. pii: S1556-0864(17)32764-8.
11. Otsubo K, Nosaki K, Imamura CK, Ogata H, Fujita A, Sakata S, Hirai F, Toyokawa G, Iwama E, Harada T, Seto T, Takenoyama M, Ozeki T, Mushiroda T, Inada M, Kishimoto J, Tsuchihashi K, Suina K, Nagano O, Saya H, Nakanishi Y, Okamoto I.
Phase I study of salazosulfapyridine in combination with cisplatin and pemetrexed for advanced non-small-cell lung cancer.
Cancer Sci. 2017 Sep;108(9):1843-1849.
12. Ohta T, Mita M, Hishinuma S, Ishii-Nozawa R, Takahashi K, Shoji M.
Inhibition of ectopic arginine vasopressin production by phenytoin in the small cell lung cancer cell line Lu-165.
Original Research. 2017 April 28. doi: 10.3389/fendo.2017.00094
13. Ai T, Yuri M, Tabe Y, Kakimoto A, Morishita S, Tsuchiya K, Takamochi K, Kodama Y, Takahashi F, Shigeki M, Horii T, Suzuki K, Takahashi K, Miida T, Ohsaka A.

Comparison of the Analytical Performance Between cobas EGFR Assay and PCR-Clamp Method in the Detection of EGFR Mutations in Japanese Non-Small Cell Lung Cancer Patients.

Clin Lab. 63(5):1021-1026, 2017 May 1

14. Nakamura K, Kato M, Shukuya T, Mori K, Sekimoto Y, Ihara H, Kanemaru R, Ko R, Shibayama R, Tajima K, Koyama R, Shimada N, Nagashima O, Takahashi F, Sasaki S, Takahashi K.
Surfactant protein-D predicts prognosis of interstitial lung disease induced by anticancer agents in advanced lung cancer: a case control study.
BMC Cancer. 17(1):302.doi: 10.1186/s12885-017-3285-6. 2017 May 2
15. Togo S, Katagiri N, Namba Y, Tulafu M, Nagahama K, Kadoya K, Takamochi K, Oh S, Suzuki K, Sakurai F, Mizuguchi H, Urata Y, Takahashi K.
Sensitive detection of viable circulating tumor cells using a novel conditionally telomerase-selective replicating adenovirus in non-small cell lung cancer patients.
Oncotarget. 8(21):34884-34895, 2017 May 23
16. Okamoto S, Komura M, Terao Y, Kurisaki-Arakawa A, Hayashi T, Saito T, Togo S, Shiokawa A, Mitani K, Kobayashi E, Kumasaka T, Takahashi K, Seyama K.
Pneumothorax caused by cystic and nodular lung metastases from a malignant uterine perivascular epithelioid cell tumor (PEComa).
Respir Med Case Rep. 22:77-82, 2017 Jun 27
17. Asao T, Fujiwara Y, Itahashi K, Kitahara S, Goto Y, Horinouchi H, Kanda S, Nokihara H, Yamamoto N, Takahashi K, Ohe Y.
Sequential Use of Anaplastic Lymphoma Kinase Inhibitors in Japanese Patients With ALK-Rearranged Non-Small-Cell Lung Cancer: A Retrospective Analysis.
Clin Lung Cancer. 18(4): e251-e258, 2017 Jul 3.030
18. Takaeshige T, Harada N, Sekimoto Y, Kanemaru R, Tsutsumi T, Matsuno K, Shiota S, Masuda A, Gotoh A, Asahina M, Uekusa T, Takahashi K.
Pulmonary Intravascular large B-cell lymphoma (IVLBCL) disguised as an Asthma exacerbation in a patient with asthma.
Intern Med. 56: 1885-1891, 2017
19. Nurwidya F, Takahashi F, Kato M, Baskoro H, Hidayat M, Wirawan A, Takahashi K.

CD44 silencing decreases the expression of stem cell-related factors induced by transforming growth factor β 1 and tumor necrosis factor α in lung cancer: Preliminary findings.

Bosn J Basic Med Sci. 2017 Apr 24. doi: 10.17305/bjbms.2017.1966. [Epub ahead of print]

20. Sandhu Y, Ando K, Takekawa H, Takagi H, Hiramama M, Kido K, Takahashi K.
Safety of Bronchoscopy for Patients Undergoing Hemodialysis.
Respir Investig. 2017 Mar;55(2):173-175.
21. Yoshikawa H, Fujii M, Iwakami SI, Takeda I, Hayakawa D, Takahashi K.
Chylothorax ascribed to chronic heart failure in a woman of very advanced years.
Geriatr Gerontol Int. 2017 Jul;17(7):1133-1135.
22. Suzuki Y, Sato T, Sugimoto M, Baskoro H, Karasutani K, Mitsui A, Nurwidya F, Arano N, Kodama Y, Hirano SI, Ishigami A, Seyama K, Takahashi K.
Hydrogen-rich pure water prevents cigarette smoke-induced pulmonary emphysema in SMP30 knockout mice.
Biochem Biophys Res Commun. 2017 Oct 7;492(1):74-81.
23. Honma Y, Togo S, Shimizu K, Tulafu M, Hayashi T, Uekusa T, Tominaga S, Kido K, Fujimoto Y, Nanba Y, Takamochi K, Oh S, Suzuki K, Takahashi K.
Expression of thymidylate synthase predicts clinical outcomes of S-1-based chemotherapy in squamous cell lung cancer.
Oncol Lett. 2017 Sep;14(3):3319-3326.
24. Ebana H, Mizobuchi T, Kurihara M, Kobayashi E, Haga T, Okamoto S, Takahashi K, Seyama K.
Novel clinical scoring system to identify patients with pneumothorax with suspicion for Birt-Hogg-Dubé syndrome.
Respirology. 2017 Sep 27. doi: 10.1111/resp.13191. [Epub ahead of print]
25. Ebana H, Hayashi T, Mitani K, Kobayashi E, Kumasaka T, Mizobuchi T, Kurihara M, Takahashi F, Takahashi K, Seyama K.
Oxidized regenerated cellulose induces pleural thickening in patients with pneumothorax: possible involvement of the mesothelial-mesenchymal transition.
Surg Today. 2017 Oct 12. doi: 10.1007/s00595-017-1597-4. [Epub ahead of print]
26. Nakamura K, Kato M, Miyashita Y, Nagashima O, Sasaki S, Tominaga S, Takahashi K.

Development of interstitial pneumonia during treatment with eribulin: a case report.

BMC Res Notes. 2017 Nov 6;10(1):557.

27. Tobino K, Hirai T, Johkoh T, Fujimoto K, Kawaguchi A, Tomiyama N, Takahashi K, Seyama K.
Difference of the progression of pulmonary cysts assessed by computed tomography among COPD, lymphangiomyomatosis, and Birt-Hogg-Dubé syndrome.
PLoS One. 2017 Dec 8;12(12):e0188771.
28. Takamochi K, Takahashi F, Suehara Y, Kitano S, Sato E, Kohsaka S, Hayashi T, Mano H, Suzuki K.
DNA mismatch repair deficiency in surgically resected lung adenocarcinoma: Microsatellite instability analysis using the Promega panel Lung Cancer.
Lung Cancer 110:26-31. (2017)
29. Iwabuchi C, Ebana H, Ishiko A, Negishi A, Mizobuchi T, Kumasaka T, Kurihara M, Seyama K.
Skin lesions of Birt-Hogg-Dubé syndrome: Clinical and histopathological findings in 31 Japanese patients who presented with pneumothorax and/or multiple lung cysts.
J Dermatol Sci. 2017 Nov 2. pii: S0923-1811(17)30462-0.
30. **Lymphangiomyomatosis Diagnosis and Management: High-Resolution Chest Computed Tomography, Transbronchial Lung Biopsy, and Pleural Disease Management. An Official American Thoracic Society/Japanese Respiratory Society Clinical Practice Guideline.**
Am J Respir Crit Care Med. 2017 Nov 15;196(10):1337-1348.
31. Kitamura N, Seyama K, Inoue Y, Nagai K, Suzuki M, Moriyama H, Takada T, Tazawa R, Hirai T, Mishima M, Hayashida M, Hirose M, Arai T, Sugimoto C, Hattori N, Watanabe K, Tamada T, Akazawa K, Tanaka T, Nakata K.
Risk factors for stomatitis in patients with lymphangiomyomatosis during treatment with sirolimus: A multicenter investigator-initiated prospective study.
Pharmacoepidemiol Drug Saf. 2017 Oct;26(10):1182-1189.
32. Onodera K, Sugiura H, Yamada M, Koarai A, Fujino N, Yanagisawa S, Tanaka R, Numakura T, Togo S, Sato K, Kyogoku Y, Hashimoto Y, Okazaki T, Tamada T, Kobayashi S, Yanai M, Miura M, Hoshikawa Y, Okada Y, Suzuki S, Ichinose M.
Decrease in an anti-ageing factor, growth differentiation factor 11, in chronic obstructive pulmonary disease.
Thorax. 2017 Oct;72(10):893-904.

33. Saito M, Fujiwara Y, Asao T, Honda T, Shimada Y, Kanai Y, Tsuta K, Kono K, Watanabe S, Ohe Y, Kohno T.
The genomic and epigenomic landscape in thymic carcinoma.
Carcinogenesis. 2017 Oct 26;38(11):1084-1091.
34. Konagai A, Yoshimura K, Hazama S, Yamamoto N, Aoki K, Ueno T, Fujioka M, Iijima H, Kato M, Uchida M, Wada T, Inoue M, Asao T, Fuse M, Wada S, Kuramasu A, Kamei R, Takeda S, Yamamoto S, Yoshino S, Oka M, Nagano H.
Correlation Between NKG2DL Expression and Antitumor Effect of Protein-bound Polysaccharide-K in Tumor-bearing Mouse Models.
Anticancer Res. 2017 Aug;37(8):4093-4101.
35. Nakamichi S, Horinouchi H, Asao T, Goto Y, Kanda S, Fujiwara Y, Nokihara H, Yamamoto N, Ito Y, Watanabe SI, Ohe Y.
Comparison of Radiotherapy and Chemoradiotherapy for Locoregional Recurrence of Non-small-cell Lung Cancer Developing After Surgery.
Clin Lung Cancer. 2017 Nov;18(6):e441-e448.
36. Okuma HS, Horinouchi H, Kitahara S, Asao T, Sunami K, Goto Y, Kanda S, Fujiwara Y, Nokihara H, Yamamoto N, Ohe Y.
Comparison of Amrubicin and Weekly Cisplatin/Etoposide/Irinotecan in Patients With Relapsed Small-cell Lung Cancer.
Clin Lung Cancer. 2017 Mar;18(2):234-240.
37. Shitara K, Doi T, Nagano O, Fukutani M, Hasegawa H, Nomura S, Sato A, Kuwata T, Asai K, Einaga Y, Tsuchihashi K, Suina K, Maeda Y, Saya H, Ohtsu A.
Phase 1 study of sulfasalazine and cisplatin for patients with CD44v-positive gastric cancer refractory to cisplatin (EPOC1407).
Gastric Cancer. 2017 Nov;20(6):1004-1009.
38. Ikari J, Nelson AJ, Obaid J, Giron-Martinez A, Ikari K, Makino F, Iwasawa S, Gunji Y, Farid M, Wang X, Basma H, Demeo D, Feghali-Bostwick C, Holz O, Rabe K, Liu X, Rennard SI.
Reduced microRNA-503 expression augments lung fibroblast VEGF production in chronic obstructive pulmonary disease.
PLoS One. 2017 Sep 7;12(9):e0184039.

39. Takagi H, Morio Y, Ishiwata T, Shimada K, Kume A, Miura K, Kuwasaki E, Kato M, Seyama K, Takahashi K.
Effect of telling patients their "spirometric-lung-age" on smoking cessation in Japanese smokers.
J Thorac Dis. 2017 Dec;9(12):5052-5060.
40. Wada H, Dohi T, Miyauchi K, Jun S, Endo H, Doi S, Konishi H, Naito R, Tsuboi S, Ogita M, Kasai T, Okazaki S, Isoda K, Suwa S, Daida H. Relationship between the prognostic nutritional index and long-term clinical outcomes in patients with stable coronary artery disease. J Cardiol. 2018 in press
41. Murata A, Kasai T, Matsue Y, Matsumoto H, Yatsu S, Kato T, Suda S, Hiki M, Takagi A, Daida H. Relationship between blood urea nitrogen-to-creatinine ratio at hospital admission and long-term mortality in patients with acute decompensated heart failure. Heart Vessels. 2018 in press
42. Komatsu S, Sumiyoshi M, Miura S, Kimura Y, Shiozawa T, Hirano K, Odagiri F, Tabuchi H, Hayashi H, Sekita G, Tokano T, Nakazato K, Daida H.
A proposal of clinical ECG index "vagal score" for determining the mechanism of paroxysmal atrioventricular block.
J Arrhythmia 2017; 33:208-13
43. Kato T, Kasai T, Yatsu S, Murata A, Matsumoto H, Suda S, Hiki M, Shiroshita N, Kato M, Kawana F, Miyazaki S, Daida H.
Acute effects of positive airway pressure on functional mitral regurgitation in patients with systolic heart failure.
Front Physiol. 2017; 8: 921
44. Akita K, Isoda K, Sato-Okabayashi Y, Kadoguchi T, Kitamura K, Ohtomo F, Shimada K, Daida H.
An interleukin-6 receptor antibody suppresses atherosclerosis in atherogenic mice.
Front Cardiovasc Med. 2017 in press
45. Kattel S, Kasai T, Matsumoto H, Yatsu S, Murata A, Kato T, Suda S, Hiki M, Takagi A, Daida H.
Association between elevated blood glucose level on admission and long-term mortality in patients with acute decompensated heart failure.
J Cardiol. 2017; 69; 619-624

46. Okai I, Dohi T, Okazaki S, Jujo K, Nakashima M, Otsuki H, Tanaka K, Arashi H, Okabe R, Nagura F, Nara Y, Tamura H, Kurata T, Kawashima H, Kyono H, Yamaguchi J, Miyauchi K, Kozuma K, Hagiwara N, [Daida H](#).
Clinical characteristics and long-term outcomes of rotational atherectomy. - J2T multicenter registry.
Circ J. 2017 Sep 21.
47. Naito R, Miyauchi K, Konishi H, Tsuboi S, Ogita M, Dohi T, Kasai T, Tamura H, Okazaki S, Isoda K, [Daida H](#).
Clinical outcomes in diabetic patients who underwent percutaneous coronary intervention during the plain old balloon angioplasty (POBA)-, bare metal stents (BMS)- and drug-eluting stents (DES)-eras from 1984 to 2010.
Intern Med. 2017;56(1):1-9
48. Wada H, Ogita M, Miyauchi K, Tsuboi S, Konishi H, Shitara J, Kunimoto M, Sonoda T, Iso T, Ebina H, Aoki E, Kitamura K, Tamura H, Suwa S, [Daida H](#).
Contemporary sex differences among patients with acute coronary syndrome treated by emergency percutaneous coronary intervention.
Cardiovasc Interv Ther. 2017 Oct;32(4):333-340
49. Kaga H, Tamura Y, Takeno K, Kakehi S, Funayama T, Furukawa Y, Nishitani-Yokoyama M, Shimada K, [Daida H](#), Aoki S, Giacca A, Kanazawa A, Kawamori R, Watada H.
Correlates of insulin clearance in apparently healthy non-obese Japanese men.
Sci Rep. 2017;7:1462
50. Ouchi S, Miyazaki T, Shimada K, Sugita Y, Shimizu M, Murata A, Kato T, Aikawa T, Suda S, Shiozawa T, Hiki M, Takahashi S, Kasai T, Miyauchi K, [Daida H](#).
Decreased circulating dihomo-gamma-linolenic acid levels are associated with total mortality in patients with acute cardiovascular disease and acute decompensated heart failure.
Lipids Health Dis. 2017;16(1):150
51. Kurano M, Kano K, Dohi T, Matsumoto H, Igarashi K, Nishikawa M, Ohkawa R, Ikeda H, Miyauchi K, [Daida H](#), Aoki J, Yatomi Y.
Different origins of lysophospholipid mediators between coronary and peripheral arteries in acute coronary syndrome.
J Lipid Res. 2017 Feb;58(2):433-442

52. Kuramitsu S, Miyauchi K, Yokoi H, Suwa S, Nishizaki Y, Yokoyama T, Nojiri S, Iwabuchi M, Shirai S, Ando K, Okazaki S, Tamura H, Watada H, Daida H.
Effect of sitagliptin on plaque changes in coronary artery following acute coronary syndrome in diabetic patients: The ESPECIAL-ACS study.
J Cardiol. 2017 Jan;69(1):369-376
53. Ohmura H, Fukushima Y, Mizuno A, Niwa K, Kobayashi Y, Ebina T, Kimura K, Ishibashi S, Daida H.
Estimated prevalence of heterozygous familial hypercholesterolemia in patients with acute coronary syndrome: Multicenter registration study in Japan. On behalf of the research committee on primary hyperlipidemia of the ministry of health and welfare of Japan.
Int Heart J, 2017; 58: 88-94
54. Hirose K, Daimon M, Miyazaki S, Chiang SJ, Morimoto-Ichikawa R, Maruyama M, Kawata T, Ohmura H, Daida H.
Estrogen variation during the menstrual cycle does not influence left ventricular diastolic function and untwisting rate in premenopausal women.
J Cardiol 2017 Jan;69(1):389-393
55. Wada H, Ogita M, Miyauchi K, Shitara J, Endo H, Doi S, Naito R, Konishi H, Tsuboi S, Dohi T, Kasai T, Tamura H, Okazaki S, Isoda K, Suwa S, Daida H.
Impact of gender difference on long-term outcomes of percutaneous coronary intervention for coronary artery disease in patients under statin treatment.
Heart Vessels. 2017 Jan;32(1):16-21
56. Suwa S, Ogita M, Miyauchi K, Sonoda T, Konishi H, Tsuboi S, Wada H, Naito R, Dohi T, Kasai T, Okazaki S, Isoda K, Daida H.
Impact of lipoprotein (a) on long-term outcomes in patients with coronary artery disease treated with statin after a first percutaneous coronary intervention.
J Atheroscler Thromb. 2017 Nov 1;24(11):1125-1131
57. Yatsu S, Kasai T, Suda S, Matsumoto H, Shiroshita N, Kato M, Kawana F, Murata A, Kato T, Hiki M, Daida H.
Impact of periodic leg movements during sleep in hospitalized patients following acute decompensated heart failure on clinical outcomes.
Circ J. 2017; 81: 495-500

58. Wada H, Dohi T, Miyauchi K, Shitara J, Endo H, Doi S, Naito R, Konishi H, Tsuboi S, Ogita M, Kasai T, Okazaki S, Isoda K, Shimada K, Suwa S, Daida H.
Impact of serum albumin levels on long-term outcomes in patients undergoing percutaneous coronary intervention.
Heart Vessels. 2017 APR20; 32: 1085-1092
59. Takamura K, Fujimoto S, Kondo T, Hiki M, Kawaguchi Y, Kato E, Daida H.
Incremental prognostic value of coronary computed tomography angiography: High-risk plaque characteristics in asymptomatic patients.
J Atheroscler Thromb, 201724:1174-1185
60. Wada H, Dohi T, Miyauchi K, Doi S, Naito R, Konishi H, Tsuboi S, Ogita M, Kasai T, Okazaki S, Isoda K, Suwa S, Daida H.
Independent and combined effects of serum Albumin and C-Reactive Protein on long-term outcomes of patients undergoing percutaneous coronary intervention.
Circ J. 2017 Aug 25;81(9):1293-1300.
61. Dai Y, Yang J, Takagi A, Konishi H, Miyazaki T, Masuda H, Shimada K, Miyauchi K, Daida H.
In-hospital and long-term outcomes of congestive heart failure: Predictive value of B-type and amino-terminal pro-B-type natriuretic peptides and their ratio.
Exp Ther Med. 2017 Aug;14(2):1715-1721
62. Shiozawa T, Shimada K, Sekita G, Hayashi H, Tabuchi H, Miura S, Fujimoto S, Kadoguchi T, Ouchi S, Aikawa T, Shahi HA, Takahashi S, Miyazaki T, Sumiyoshi M, Nakazato K, Daida H.
Left atrial appendage volume and plasma docosahexaenoic acid levels are associated with fibrillation recurrence after catheter ablation.
Cardiol Res 2017; 8:96-104
63. Takano A, Sekita G, Watanabe M, Mukaida H, Komatsu S, Tabuchi H, Hayashi H, Tokano T, Sumiyoshi M, Nakazato K, Daida H.
Long-term reliability of sweet-tip type screw-in leads.
J Arrhythmia 2017; 33:12-16
64. Ouchi S, Shimada K, Miyazaki T, Takahashi S, Sugita Y, Shimizu M, Murata A, Kadoguchi T, Kato T, Aikawa T, Suda S, Sai E, Hiki M, Iwata H, Kasai T, Miyauchi K, Daida H.
Low 1,5-anhydroglucitol levels are associated with long-term cardiac mortality in acute coronary syndrome patients with hemoglobin A1c levels less than 7.0.
Cardiovasc Diabetol. 2017 Nov 21;16(1):151

65. Shimizu M, Miyazaki T, Takagi A, Sugita Y, Yatsu S, Murata A, Kato T, Suda S, Ouchi S, Aikawa T, Hiki M, Takahashi S, Hiki M, Hayashi H, Kasai T, Shimada K, Miyauchi K, Daida H.
Low circulating coenzyme Q10 during acute phase is associated with inflammation, malnutrition, and in-hospital mortality in patients admitted to the coronary care unit.
 Heart Vessels. 2017;32:668-673
66. Ouchi S, Miyazaki T, Shimada K, Sugita Y, Shimizu M, Murata A, Kato T, Aikawa T, Suda S, Shiozawa T, Hiki M, Takahashi S, Iwata H, Kasai T, Miyauchi K, Daida H.
Low docosahexaenoic acid, dihomo-gamma-linolenic acid, and arachidonic acid levels associated with long-term mortality in patients with acute decompensated heart failure in different nutritional statuses.
 Nutrients. 2017;9:956
67. Aikawa T, Miyazaki T, Shimada K, Sugita Y, Shimizu M, Ouchi S, Kadoguchi T, Yokoyama Y, Shiozawa T, Hiki M, Takahashi S, Al Shahi H, Dohi S, Amano A, Daida H.
Low EPA/AA ratio is associated with the size and growth rate of abdominal aortic aneurysm.
 J Atheroscler Thromb. 2017.24:912-920
68. Sai E, Shimada K, Yokoyama T, Hiki M, Sato S, Hamasaki N, Maruyama M, Morimoto R, Miyazaki T, Fujimoto S, Tamura Y, Aoki S, Watada H, Kawamori R, Daida H.
Myocardial triglyceride content in patients with left ventricular hypertrophy: Comparison between hypertensive heart disease and hypertrophic cardiomyopathy.
 Heart Vessels. 2017;32:166-174
69. Ri K, Kumamaru KK, Fujimoto S, Kawaguchi Y, Dohi T, Yamada S, Takamura K, Kogure Y, Yamada N, Kato E, Irie R, Takamura T, Suzuki M, Hori M, Aoki S, Daida H.
Noninvasive computed tomography-derived fractional flow reserve based on structural and fluid analysis: Reproducibility of on-site determination by unexperienced observers.
 J comput assist tomogr. 2017 Sep 20
70. Wada H, Dohi T, Miyauchi K, Shitara J, Endo H, Doi S, Naito R, Konishi H, Tsuboi S, Ogita M, Kasai T, Hassan A, Okazaki S, Isoda K, Shimada K, Suwa S, Daida H.
Preprocedural high-sensitivity C-Reactive Protein predicts long-term outcome of percutaneous coronary intervention.
 Circ J, 2017; 81:90-95

71. Wada H, Dohi T, Miyauchi K, Shitara J, Endo H, Doi S, Konishi H, Naito R, Tsuboi S, Ogita M, Kasai T, Hassan A, Okazaki S, Isoda K, Suwa S, Daida H.
Pre-procedural neutrophil-to-lymphocyte ratio and long-term cardiac outcomes after percutaneous coronary intervention for stable coronary artery disease.
Atherosclerosis. 2017 Oct;265:35-40
72. Hassan A, Dohi T, Miyauchi K, Ogita M, Kurano M, Ohkawa R, Nakamura K, Tamura H, Isoda K, Okazaki S, Yatomi Y, Daida H.
Prognostic impact of homocysteine levels and homocysteine thiolactonase activity on long-term clinical outcomes in patients undergoing percutaneous coronary intervention.
J Cardiol. 2017 Jun;69(6):830-835
73. Wada H, Dohi T, Miyauchi K, Doi S, Konishi H, Naito R, Tsuboi S, Ogita M, Kasai T, Okazaki S, Isoda K, Suwa S, Daida H.
Prognostic impact of nutritional status assessed by the Controlling Nutritional Status score in patients with stable coronary artery disease undergoing percutaneous coronary intervention.
Clin Res Cardiol, 2017; 106: 875-883
74. Wada H, Dohi T, Miyauchi K, Doi S, Naito R, Konishi H, Tsuboi S, Ogita M, Kasai T, Hassan A, Okazaki S, Isoda K, Suwa S, Daida H.
Prognostic impact of the geriatric nutritional risk index on long-term outcomes in patients who underwent percutaneous coronary intervention.
Am J Cardiol. 2017 Jun 1;119(11):1740-1745
75. Naito R, Miyauchi K, Daida H.
Racial differences in the cholesterol-lowering effect of statin.
J Atheroscler Thromb. 2017 Jan 1;24(1):19-25
76. Okai I, Iwata H, Osborn EA, Fukuda K, Shiozaki M, Kimura Y, Chikata Y, Inoue K, Fujiwara Y, Jaffer FA, Daida H, Sumiyoshi M.
Sequential acute coronary syndrome 4 days apart: A missed opportunity?
Circ J. 2017 Jul 25;81(8):1231-1233
77. Hiki M, Miyazaki M, Shimada K, Sugita Y, Shimizu M, Aikawa T, Ouchi S, Shiozawa T, Takasu K, Takahashi S, Takagi A, Miyauchi K, Daida H.

Significance of serum polyunsaturated fatty acid level imbalance in patients with acute venous thromboembolism.

J Atheroscler Thromb 2017.;24:1016-1022

78. Takasu K, Miyazaki T, Negoro K, Yatsu S, Shimizu M, Murata A, Kato T, Suda S, Hiki M, Kasai T, Miyauchi K, Daida H.
Successful treatment of congestive heart failure due to severe aortic valve stenosis with low dose tolvaptan in elderly patients.
Int Heart J. 2017 May 31;58(3):378-384
79. Takahashi M, Ando J, Shimada K, Nishizaki Y, Tani S, Ogawa T, Yamamoto M, Nagao K, Hirayama A, Yoshimura M, Daida H. Nagai R, Komuro I.
The ratio of serum n-3 to n-6 polyunsaturated fatty acids is associated with diabetes mellitus in patients with prior myocardial infarction: a multicenter cross-sectional study.
BMC Cardiovasc Disord. 2017;17:41
80. Shiomi H, Morimoto T, Kitaguchi S, Nakagawa Y, Ishii K, Haruna Y, Takamisawa I, Motooka M, Nakao K, Matsuda S, Mimoto S, Aoyama Y, Takeda T, Murata K, Akao M, Inada T, Eizawa H, Hyakuna E, Awano K, Shirotani M, Furukawa Y, Kadota K, Miyauchi K, Tanaka M, Noguchi Y, Nakamura S, Yasuda S, Miyazaki S, Daida H. Kimura K, Ikari Y, Hirayama H, Sumiyoshi T, Kimura T.
The ReACT Trial: Randomized evaluation of routine follow-up coronary angiography after percutaneous coronary intervention trial. ReACT Investigators.
JACC Cardiovasc Interv. 2017 Jan 23;10(2):109-117
81. Takahashi N, Isoda K, Hiki M, Fujimoto S, Daida H.
Thrombolytic therapy and aspiration of clots were effective in the removal of a transient inferior vena cava (IVC) filter that captured a large thrombus.
Intern Med, 2017; 56: 1369-1373
82. Shiozaki M, Inoue K, Suwa S, Chien-Chang Lee, Chikata Y, Ishiura J, Kimura Y, Fukuda K, Tamura H, Fujiwara Y, Sumiyoshi M, Daida H.
Utility of the 0-hour/1-hour high-sensitivity cardiac troponin T algorithm in Asian patients with suspected non-ST elevation myocardial infarction.
Int J Cardiol 249 (2017) 32–35
83. Nishizaki Y, Shimada K, Daida H.

The balance of omega-3 polyunsaturated fatty acids for reducing residual risks in patients with coronary artery disease.

Acta Cardiologica. 2017;72:240-248

84. Mikasa M, Kanai K, Li Y, Yoshino H, Mogushi K, Hayashida A, Ikeda A, Kawajiri S, Okuma Y, Kashihara K, Sato T, Kondo H, Funayama M, Nishioka K, Hattori N. **COQ2 variants in Parkinson's disease and multiple system atrophy.**
J Neural Transm. in press.
85. Yoshino H, Hirano M, Stoessl AJ, Imamichi Y, Ikeda A, Li Y, Funayama M, Yamada I, Nakamura Y, Sossi V, Farrer MJ, Nishioka K, Hattori N.
Homozygous alpha-synuclein p.A53V in familial Parkinson's disease.
Neurobiol Aging. 2017 Sep 57;248:e7-248 e12.
86. Uchihara Y, Kataoka H, Yoshino H, Syobatake R, Hattori N, Ueno S.
Parkin mutation may be associated with serious akinesia in a patient with Parkinson's disease.
J Neurol Sci. 2017;379 :119–121.
87. Naito H, Takahashi T, Kamada M, Morino H, Yoshino H, Hattori N, Maruyama, Kawakami H, Matsumoto M.
First report of a Japanese family with spinocerebellar ataxia type 10: The second report from Asia after a report from China.
PLoS One. 2017 May 19;12(5):e0177955.
88. Osada T., Suzuki R., Ogawa A., Tanaka M., Hori M., Aoki S., Tamura Y., Watada H., Kawamori R., and Konishi S.
Functional subdivisions of the hypothalamus using areal parcellation and their signal changes related to glucose metabolism.
Neuroimage, 162, 1-12, 2017.
89. Kimoto A, Ohnuma T, Toda A, Takebayashi Y, Higashiyama R, Tagata Y, Ito M, Ota T, Shibata N, Arai H.
Medium-chain triglycerides given in the early stage of mild-to-moderate Alzheimer's disease enhance memory function.
Psychogeriatrics. 17(6), 520-521, 2017
90. Shibata H, Shibata N:
Malnutrition in Japan is Threatening Longevity in the Future.

91. Chihiro Akiba, Madoka Nakajima, Masakazu Miyajima, Ikuko Ogino, Eri Nakamura, Fumio Kanai, Norihiro Tada, Miyuki Kunichika, Mitsutaka Yoshida, Kinya Nishimura, Ritsuko Inoue, Masami Miura, Akihiko Kondo, Hidenori Sugano, Hajime Arai:
Hippocampal accumulation of leucine-rich α 2-glycoprotein contributes to age-related memory impairment.
Neurobiology of Aging, 60, 11-19, 2017
92. 多田昇弘 : 遺伝子改変型のモデルマウスの作製法、ゲノム編集によるノックアウト/ノックインマウスの作製
p. 3~8、動物/疾患モデルの作製技術・病態解析・評価手法 技術情報協会、2017
93. Akiba C, Nakajima M, Miyajima M, Ogino I, Miura M, Inoue R, Nakamura E, Kanai F, Tada N, Kunichika M, Yoshida M, Nishimura K, Kondo A, Sugano H, Arai H.
Leucine-rich α 2-glycoprotein overexpression in the brain contributes to memory impairment.
Neurobiol Aging. 2017 Dec;60:11-19. doi: 10.1016/j.neurobiolaging.2017.08.014. Epub 2017 Aug 24. PMID: 28917663
94. Yamada S, Ishikawa M, Miyajima M, Nakajima M, Atsuchi M, Kimura T, Kazui H, Mori E.
Timed up and go test at tap test and shunt surgery in idiopathic normal pressure hydrocephalus.
Neurol Clin Pract 7(2):98-108, 2017
95. Kurimoto T, Kondo A, Ogino I, Fujimura J, Arakawa A, Arai H, Shimizu T.
Effect of O6-methylguanine-DNA methyltransferase methylation in medulloblastoma.
Mol Clin Oncol. 2017 Dec;7(6):1107-1111.
96. Suzuki M, Kondo A, Ogino I, Arai H, Tomita T, Sredni ST.
Overexpression of TEAD4 in atypical teratoid/rhabdoid tumor: New insight to the pathophysiology of an aggressive brain tumor.
Pediatr Blood Cancer. 2017 Jul;64(7).
97. Shimizu Y, Ogino I, Kondo A, Arai H.
The role of KIAA1549-BRAF fusion gene in pediatric brain tumor.
平成 29 年度 老人性疾患病態・治療研究センター / ゲノム・再生医療センター合同研究発表会

98. Sato K, Kerever A, Kamagata K, Tsuruta K, Irie R, Tagawa K, Okazawa H, Arikawa-Hirasawa E, Nitta N, Aoki I, Aoki S.
Understanding microstructure of The brain by comparison of neurite orientation dispersion and density imaging (NODDI) with transparent mouse brain
Acta Radiol Open. 2017 Apr 17;6(4):2058460117703816. doi: 10.1177/205846011770381
99. Fujiwara N, Nakazawa-Tanaka N, Miyahara K, Arikawa-Hirasawa E, Akazawa C, Yamataka A.
Altered expression of laminin alpha1 in aganglionic colon of endothelin receptor-B null mouse model of Hirschsprung's disease.
Pediatr Surg Int. 2017 Oct 5. Doi 10.1007/s00383-017-4180-6. [Epub ahead of print]PMID: 28983681
100. Yamada T, Kerever A, Yoshimura Y, Suzuki Y, Nonaka R, Higashi K, Toida T, Mercier F, Arikawa-Hirasawa E
Heparan sulfate alterations in extracellular matrix structures and fibroblast growth factor-2 signaling impairment in the aged neurogenic niche.
J Neurochem. 2017 Aug;142(4):534-544. doi: 10.1111/jnc.14081. Epub 2017 Jun 20.
101. Nakazawa-Tanaka N, Fujiwara N, Miyahara K, Nakada S, Arikawa-Hirasawa E, Akazawa C, Urao M, Yamataka A.
The effect of laminin-1 on enteric neural crest-derived cell migration in the Hirschsprung's disease mouse model.
Pediatr Surg Int. 2017 Oct 10. doi: 10.1007/s00383-017-4181-5. [Epub ahead of print] PMID: 2901895
102. Irie R, Kamagata K, Kerever A, Ueda R, Yokosawa S, Otake Y, Ochi H, Yoshizawa H, Hayashi A, Tagawa K, Okazawa H, Takahashi K, Sato K, Hori M, Arikawa-Hirasawa E, Aoki S.
The Relationship between Neurite Density Measured with Confocal Microscopy in a Cleared Mouse Brain and Metrics Obtained from Diffusion Tensor and Diffusion Kurtosis Imaging.
Magn Reson Med Sci. 2017 Dec 7. doi: 10.2463/mrms.mp.2017-0031. [Epub ahead of print]PMID: 29213008
103. Yamaguchi J, Suzuki C, Nanao T, Kakuta S, Ozawa K, Tanida I, Saitoh T, Sunabori T, Komatsu M, Tanaka K, Aoki S, Sakimura K, Uchiyama Y.
Atg9a deficiency causes axon-specific lesions including neuronal circuit dysgenesis.
Autophagy. 2017 May 17:1-14. doi: 10.1080/15548627.2017.1314897.

104. **Tanida I**, Ueno T, Uchiyama Y.
Use of pHlurorin-mKate2-human LC3 to Monitor Autophagic Responses
Methods Enzymol 2017; 587, 87-96. doi: 10.1016/bs.mie.2016.09.054
105. **Araki M**, Komatsu N. Novel molecular mechanism of cellular transformation by a mutant molecular chaperone in myeloproliferative neoplasms. Cancer Sci. 2017 Oct;108(10):1907-1912. doi: 10.1111/cas.13327. Epub 2017 Aug 8.
106. Imai M*, **Araki M***, Komatsu N. (*co-first author) Somatic mutations of calreticulin in myeloproliferative neoplasms. Int J Hematol. 2017 Jun;105(6):743-747. doi: 10.1007/s12185-017-2246-9. Epub 2017 May 3.
107. Misawa K, Yasuda H, **Araki M**, Ochiai T, Morishita S, Nudejima M, Hironaka Y, Shirane S, Edahiro Y, Gotoh A, Ohsaka A, Komatsu N. **The 2016 WHO diagnostic criteria for polycythemia vera renders an accurate diagnosis to a broader range of patients including masked polycythemia vera: Comparison with the 2008 WHO diagnostic criteria.**
Am J Hematol. 2017 Jul;92(7):E128-E130. doi: 10.1002/ajh.24752. Epub 2017 May 26.
108. 荒木 真理人 骨髄増殖性腫瘍におけるドライバー遺伝子変異による腫瘍化の分子メカニズム.
最新醫學 2017; 72(11):1522-1528
109. Matsuoka R, Lee S, Sato M, Hibiya R, Shimanuki Y, Kasai M, Kamiya K, Itakura A, Koike T, Ikeda K.
Piezoelectric vibrator-stimulated potential and heart rate accelerations detected from the fetus.
Int J Pediatr Otorhinolaryngol. 2017 May 17;101:204-210, doi: 10.1016/j.ijporl.2017.05.007